


- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London,
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN


www.arcadis.com

Title:

**Figure 12.1
Noise Assessment
Study Area
Page 1 of 15**


Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	
Suitability Description:					

For Information			
Drawing Number:	10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	Revision:	P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London,
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY
www.arcadis.com

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

Title:

**Figure 12.1
Noise Assessment
Study Area
Page 2 of 15**


Designed	M. Underhill	Date 17 AUG 22	Signed
Drawn	K. Fischer	Date 17 AUG 22	Signed
Checked	M. Underhill	Date 17 AUG 22	Signed
Approved	K. Stubbs	Date 17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD
Original Size:	A3	Grid:	OS
Suitability Code:	S2	Project Number:	10047064

Suitability Description:

For Information

Drawing Number:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision:
P01



Legend

- Proposed Order Limits
- Study Area (300m) - Construction and Decommissioning
- Study Area (600m) - Construction Phase (Night-time Works)
- Buildings

Notes

Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack

Rev	Date	Description	Drawn	Check	Approv
01	17/08/22	INITIAL ISSUE	KF	MU	KS

Client:

nationalgrid ventures

Site
Humber

PROJECT:
HUMBER LOW CARBON PIPELINES

Client
National Grid plc,
1-3 Strand,
London:
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY
www.arcadis.com

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

Title:


**Figure 12.1
Noise Assessment
Study Area
Page 3 of 15**

Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:	AOD		
Original Size:	A3	Grid:	OS		
Suitability Code:	S2	Project Number:	10047064		
Suitability Description:					

For Information


Drawing Number:	10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	Revision:	P01
-----------------	------------------------------------	-----------	-----

© Copyright reserved



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

nationalgrid ventures

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London,
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com



Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

www.arcadis.com

Title:

Figure 12.1
Noise Assessment
Study Area
Page 4 of 15


Designed	M. Underhill	Date	17 AUG 22	Signed
Drawn	K. Fischer	Date	17 AUG 22	Signed
Checked	M. Underhill	Date	17 AUG 22	Signed
Approved	K. Stubbs	Date	17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD	
Original Size:	A3	Grid:	OS	
Suitability Code:	S2	Project Number:	10047064	

Suitability Description:

For Information


Drawing Number:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision:
P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



Rev	Date	Description	Drawn	Check	Approv
01	17/08/22	INITIAL ISSUE	KF	MU	KS

Client:

nationalgrid ventures

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London,
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

www.arcadis.com

Title:

Figure 12.1
Noise Assessment
Study Area
Page 5 of 15


Designed	M. Underhill	Date	17 AUG 22	Signed
Drawn	K. Fischer	Date	17 AUG 22	Signed
Checked	M. Underhill	Date	17 AUG 22	Signed
Approved	K. Stubbs	Date	17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD	
Original Size:	A3	Grid:	OS	
Suitability Code:	S2	Project Number:	10047064	

Suitability Description:

For Information

Drawing Number:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision:
P01




Legend

- Proposed Order Limits
- Study Area (300m) - Construction and Decommissioning
- Study Area (600m) - Construction Phase (Night-time Works)
- Buildings

Notes

Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022

Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:

HUMBER LOW CARBON PIPELINES

Site

Humber

Client

National Grid plc,
1-3 Strand,
London:
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:

80Fen
80 Fenchurch Street
London
EC3M 4BY

Coordinating Office:


Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

www.arcadis.com

Title:


Figure 12.1
Noise Assessment
Study Area
Page 7 of 15

Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	
Suitability Description:					
For Information					
Drawing Number:					Revision:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2					P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT: HUMBER LOW CARBON PIPELINES

Site: Humber

Client: National Grid plc, 1-3 Strand, London, WC2N 5EH United Kingdom Registered in England and Wales No. 4031152 nationalgrid.com

Registered office: 80Fen 80 Fenchurch Street London EC3M 4BY
Coordinating Office: Suite 1A 4 Piccadilly Place Manchester M1 3BN

www.arcadis.com

Title:

Figure 12.1
Noise Assessment
Study Area
Page 8 of 15


Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	

Suitability Description:

For Information


Drawing Number: 10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision: P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London:
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY
www.arcadis.com

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

Title:


**Figure 12.1
Noise Assessment
Study Area
Page 9 of 15**

Designed	M. Underhill	Date 17 AUG 22	Signed
Drawn	K. Fischer	Date 17 AUG 22	Signed
Checked	M. Underhill	Date 17 AUG 22	Signed
Approved	K. Stubbs	Date 17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD
Original Size:	A3	Grid:	OS
Suitability Code:	S2	Project Number:	10047064

Suitability Description:


For Information

Drawing Number: 10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	Revision: P01
--	-------------------------



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London:
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

www.arcadis.com

Title:


**Figure 12.1
Noise Assessment
Study Area
Page 10 of 15**

Designed	M. Underhill	Date 17 AUG 22	Signed
Drawn	K. Fischer	Date 17 AUG 22	Signed
Checked	M. Underhill	Date 17 AUG 22	Signed
Approved	K. Stubbs	Date 17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD
Original Size:	A3	Grid:	OS
Suitability Code:	S2	Project Number:	10047064

Suitability Description:


For Information

Drawing Number: 10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	Revision: P01
---	-------------------------



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT:
HUMBER LOW CARBON PIPELINES

Site
Humber

Client
National Grid plc,
1-3 Strand,
London:
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY
www.arcadis.com

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

Title:

Figure 12.1
Noise Assessment
Study Area
Page 11 of 15


Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	

Suitability Description:

For Information

Drawing Number:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision:
P01



Legend

- Proposed Order Limits
- Study Area (300m) - Construction and Decommissioning
- Study Area (600m) - Construction Phase (Night-time Works)
- Buildings

Notes

Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack

Rev	Date	Description	Drawn	Check	Approv
01	17/08/22	INITIAL ISSUE	KF	MU	KS

Client:

nationalgrid ventures

Site
Humber

PROJECT:
HUMBER LOW CARBON PIPELINES

Client
National Grid plc,
1-3 Strand,
London,
WC2N 5EH United Kingdom
Registered in England and Wales
No. 4031152
nationalgrid.com

Registered office:
80Fen
80 Fenchurch Street
London
EC3M 4BY
www.arcadis.com

Coordinating Office:
Suite 1A
4 Piccadilly Place
Manchester
M1 3BN

Title:

**Figure 12.1
Noise Assessment
Study Area
Page 12 of 15**


Designed	M. Underhill	Date 17 AUG 22	Signed
Drawn	K. Fischer	Date 17 AUG 22	Signed
Checked	M. Underhill	Date 17 AUG 22	Signed
Approved	K. Stubbs	Date 17 AUG 22	Signed
Scale:	1:25,000	Datum:	AOD
Original Size:	A3	Grid:	OS
Suitability Code:	S2	Project Number:	10047064

Suitability Description:

For Information


Drawing Number:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision:
P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT: HUMBER LOW CARBON PIPELINES

Site: Humber

Client: National Grid plc, 1-3 Strand, London, WC2N 5EH United Kingdom Registered in England and Wales No. 4031152 nationalgrid.com

Registered office: 80Fen, 80 Fenchurch Street, London EC3M 4BY
Coordinating Office: Suite 1A, 4 Piccadilly Place, Manchester M1 3BN
www.arcadis.com

Title:


Figure 12.1
Noise Assessment
Study Area
Page 13 of 15

Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	

Suitability Description:


For Information

Drawing Number:	Revision:
10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	P01



- Legend
- Proposed Order Limits
 - Study Area (300m) - Construction and Decommissioning
 - Study Area (600m) - Construction Phase (Night-time Works)
 - Buildings

Notes
Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack



01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT: HUMBER LOW CARBON PIPELINES

Site: Humber

Client: National Grid plc, 1-3 Strand, London, WC2N 5EH United Kingdom Registered in England and Wales No. 4031152 nationalgrid.com

Registered office: 80Fen, 80 Fenchurch Street, London EC3M 4BY

Coordinating Office: Suite 1A, 4 Piccadilly Place, Manchester M1 3BN


www.arcadis.com

Title:

Figure 12.1
Noise Assessment
Study Area
Page 14 of 15

Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:		AOD	
Original Size:	A3	Grid:		OS	
Suitability Code:	S2	Project Number:		10047064	
Suitability Description:					
For Information					

Drawing Number:	10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2	Revision:	P01
-----------------	------------------------------------	-----------	-----



Legend

- Proposed Order Limits
- Study Area (300m) - Construction and Decommissioning
- Study Area (600m) - Construction Phase (Night-time Works)
- Buildings

Notes

Service Layer Credits: GB Background: Contains OS data © Crown Copyright and database right 2022
Contains data from OS Zoomstack

01	17/08/22	INITIAL ISSUE	KF	MU	KS
Rev	Date	Description	Drawn	Check	Approv

Client:

PROJECT: HUMBER LOW CARBON PIPELINES

Site: Humber

Client: National Grid plc, 1-3 Strand, London, WC2N 5EH United Kingdom Registered in England and Wales No. 4031152 nationalgrid.com

Registered office: 80Fen, 80 Fenchurch Street, London EC3M 4BY
Coordinating Office: Suite 1A, 4 Piccadilly Place, Manchester M1 3BN
www.arcadis.com

Title:

Figure 12.1
Noise Assessment
Study Area
Page 15 of 15

Designed	M. Underhill	Date	17 AUG 22	Signed	
Drawn	K. Fischer	Date	17 AUG 22	Signed	
Checked	M. Underhill	Date	17 AUG 22	Signed	
Approved	K. Stubbs	Date	17 AUG 22	Signed	
Scale:	1:25,000	Datum:	AOD		
Original Size:	A3	Grid:	OS		
Suitability Code:	S2	Project Number:	10047064		

Suitability Description:

For Information

Drawing Number: 10047064-ARC-ENV-ZZ-DR-ZZ-00048-S2

Revision: P01