# Volume II: Figures

#### Part 11 of 27:

Figures 13.9.1 to 13.9.7 - Wireline Visualisations

nationalgrid



OS reference: 620385E 302297N AOD: 37.62 m Direction of view: 109.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.1a Viewpoint 1.02: Edge of Swardeston on PRoW



OS reference: 620385E 302297N AOD: 37.62 m Direction of view: 109.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 18/01/2024 Photography Time: 10:14

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.1b Viewpoint 1.02: Edge of Swardeston on PRoW



OS reference: 620385E 302297N AOD: 37.62 m Direction of view: 199.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera:NIKON D750Photography Date: 18/01/2024Lens:50mm Fixed Focal LengthPhotography Time: 10:14Camera height:1.5 m (above AOD)Photography Time: 10:14

Norwich to Tilbury Figure No: 13.9.1c Viewpoint 1.02: Edge of Swardeston on PRoW



OS reference: 620385E 302297N AOD: 37.62 m Direction of view: 199.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 18/01/2024 Photography Time: 10:14

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.1d Viewpoint 1.02: Edge of Swardeston on PRoW

![](_page_5_Picture_0.jpeg)

OS reference: 618648E 299288N AOD: 44.97 m Direction of view: 85.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.2a Viewpoint 1.03: Bracon Ash

![](_page_6_Picture_0.jpeg)

OS reference: 618648E 299288N AOD: 44.97 m Direction of view: 85.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 18/12/2023 Photography Time: 14:29

Norwich to Tilbury Figure No: 13.9.2b Viewpoint 1.03: Bracon Ash

![](_page_7_Picture_0.jpeg)

OS reference: 618648E 299288N AOD: 44.97 m Direction of view: 175.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.2c Viewpoint 1.03: Bracon Ash

![](_page_8_Picture_0.jpeg)

OS reference: 618648E 299288N AOD: 44.97 m Direction of view: 175.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 18/12/2023 Photography Time: 14:29

Norwich to Tilbury Figure No: 13.9.2d Viewpoint 1.03: Bracon Ash

![](_page_9_Picture_0.jpeg)

OS reference:617571E 296709NAOD:38.62 mDirection of view:268.0°Nearest structure:0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.3a Viewpoint 1.05: Hapton

![](_page_10_Picture_0.jpeg)

OS reference: 617571E 296709N AOD: 38.62 m Direction of view: 268.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/12/2023 Photography Time: 10:41

Norwich to Tilbury Figure No: 13.9.3b Viewpoint 1.05: Hapton

![](_page_11_Picture_0.jpeg)

OS reference: 617571E 296709N AOD: 38.62 m Direction of view: 358.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 06/12/2023 Photography Time: 10:41

Norwich to Tilbury Figure No: 13.9.3c Viewpoint 1.05: Hapton

![](_page_12_Picture_0.jpeg)

OS reference: 617571E 296709N AOD: 38.62 m Direction of view: 358.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/12/2023 Photography Time: 10:41

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.3d Viewpoint 1.05: Hapton

![](_page_13_Picture_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 50.0° Nearest structure: 0.3 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Camera:Image enlargement factor:96%Lens:Paper size:841 x 297 mm (half A1)Camera height:Correct printed image size:820 x 250 mm

Camera:NIKON D750Photography Date: 06/03/2023Lens:50mm Fixed Focal LengthPhotography Time: 11:35Camera height:1.5 m (above AOD)Photography Time: 11:35

Norwich to Tilbury Figure No: 13.9.4a Viewpoint 1.07: PRoW South of Forncett End

![](_page_14_Picture_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 50.0° Nearest structure: 0.3 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 11:35

Norwich to Tilbury Figure No: 13.9.4b Viewpoint 1.07: PRoW South of Forncett End

![](_page_15_Picture_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 140.0° Nearest structure: 0.3 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.4c Viewpoint 1.07: PRoW South of Forncett End

![](_page_16_Picture_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 140.0° Nearest structure: 0.3 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 11:35

Norwich to Tilbury Figure No: 13.9.4d Viewpoint 1.07: PRoW South of Forncett End

![](_page_17_Picture_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 230.0° Nearest structure: 0.3 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm Correct printed image size:

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.4e Viewpoint 1.07: PRoW South of Forncett End

![](_page_18_Figure_0.jpeg)

OS reference: 614540E 293305N AOD: 55.92m Direction of view: 230.0° Nearest structure: 0.3 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 11:35

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.4f Viewpoint 1.07: PRoW South of Forncett End

![](_page_19_Picture_0.jpeg)

OS reference:615688E 292917NAOD:49.32 mDirection of view:232.0°Nearest structure:0.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.5a Viewpoint 1.08: Mill Lane, Forncett St Peter

![](_page_20_Picture_0.jpeg)

OS reference: 615688E 292917N AOD: 49.32 m Direction of view: 232.0° Nearest structure: 0.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 12:32

Norwich to Tilbury Figure No: 13.9.5b Viewpoint 1.08: Mill Lane, Forncett St Peter

![](_page_21_Picture_0.jpeg)

OS reference:613025E 289870NAOD:51.28 mDirection of view:240.0°Nearest structure:0.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 06/12/2023 Photography Time: 11.16

Norwich to Tilbury Figure No: 13.9.6a Viewpoint 1.09: Tibenham

![](_page_22_Picture_0.jpeg)

OS reference: 613025E 289870N AOD: 51.28 m Direction of view: 240.0° Nearest structure: 0.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/12/2023 Photography Time: 11.16

Norwich to Tilbury Figure No: 13.9.6b Viewpoint 1.09: Tibenham

![](_page_23_Picture_0.jpeg)

OS reference:613025E 289870NAOD:51.28 mDirection of view:330.0°Nearest structure:0.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.6c Viewpoint 1.09: Tibenham

![](_page_24_Picture_0.jpeg)

OS reference: 613025E 289870N AOD: 51.28 m Direction of view: 330.0° Nearest structure: 0.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/12/2023 Photography Time: 11.16

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.6d Viewpoint 1.09: Tibenham

![](_page_25_Picture_0.jpeg)

OS reference: 611703E 288801N AOD: 57.69 m Direction of view: 54.0° Nearest structure: 0.4 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.7a Viewpoint 1.10: Diss Road

![](_page_26_Picture_0.jpeg)

OS reference: AOD: 611703E 288801N 57.69 m Direction of view: 54.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 12:58

Norwich to Tilbury Figure No: 13.9.7b Viewpoint 1.10: Diss Road

![](_page_27_Picture_0.jpeg)

OS reference: 611703E 288801N AOD: 57.69 m Direction of view: 144.0° Nearest structure: 0.4 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.7c Viewpoint 1.10: Diss Road

![](_page_28_Picture_0.jpeg)

OS reference: 611703E 288801N AOD: 57.69 m Direction of view: 144.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 12:58

Norwich to Tilbury Figure No: 13.9.7d Viewpoint 1.10: Diss Road