Volume II: Figures

Part 13 of 27:

Figures 13.9.15 - 13.9.21 - Wireline Visualisations

nationalgrid



OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 91.0° Nearest structure: 0.4 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.15a Viewpoint 2.01: Wortham Ling



OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 91.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 04/04/2023 Photography Time: 16:13

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.15b Viewpoint 2.01: Wortham Ling



OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 91.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 04/04/2023 Photography Time: 16:13

Norwich to Tilbury Figure No: 13.9.15c Viewpoint 2.01: Wortham Ling



OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 181.0° Nearest structure: 0.4 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.15d Viewpoint 2.01: Wortham Ling







OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 181.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 04/04/2023 Photography Time: 16:13

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.15e Viewpoint 2.01: Wortham Ling

Waveney Valley Alternative



national**grid**

OS reference: 609513E 279314N AOD: 25.44 m Direction of view: 181.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 04/04/2023 Photography Time: 16:13

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.15f Viewpoint 2.01: Wortham Ling



OS reference: 610757E 278747N AOD: 45.60 m Direction of view: 243.0° Nearest structure: 0.8 km

Correct printed image size:

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.16a Viewpoint 2.03: PRoW Palgrave



OS reference: 610757E 278747N AOD: 45.60 m Direction of view: 243.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 06/03/2023 Photography Time: 16:11

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.16b Viewpoint 2.03: PRoW Palgrave



OS reference: 610757E 278747N AOD: 45.60 m Direction of view: 243.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 06/03/2023 Photography Time: 16:11

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.16c Viewpoint 2.03: PRoW Palgrave



OS reference:610757E 278747NField of view (cylindrical projection):90° (horizontal) x 27° (vertical)AOD:45.60 mImage enlargement factor:96%Direction of view:333.0°Paper size:841 x 297 mm (half A1)Nearest structure:0.8 kmCorrect printed image size:820 x 250 mm

Correct printed image size:

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.16d Viewpoint 2.03: PRoW Palgrave



OS reference: 610757E 278747N AOD: 45.60 m Direction of view: 333.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 06/03/2023 Photography Time: 16:11

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.16e Viewpoint 2.03: PRoW Palgrave



610757E 278747N OS reference: AOD: 45.60 m Direction of view: 333.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 06/03/2023 Photography Time: 16:11

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.16f Viewpoint 2.03: PRoW Palgrave



OS reference: 608063E 275530N AOD: 53.66 m Direction of view: 78.0° Nearest structure: 0.8 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.17a Viewpoint 2.04: Burgate



OS reference: 608063E 275530N AOD: 53.66 m Direction of view: 78.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 16:30

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.17b Viewpoint 2.04: Burgate



 OS reference:
 608063E 275530N

 AOD:
 53.66 m

 Direction of view:
 168.0°

 Nearest structure:
 0.8 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.17c Viewpoint 2.04: Burgate



OS reference: 608063E 275530N AOD: 53.66 m Direction of view: 168.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 16:30

Norwich to Tilbury Figure No: 13.9.17d Viewpoint 2.04: Burgate



OS reference: 608980E 274021N AOD: 52.48 m Direction of view: 235.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.18a Viewpoint 2.05: Mellis Green



OS reference: 608980E 274021N AOD: 52.48 m Direction of view: 235.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 16:43

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.18b Viewpoint 2.05: Mellis Green



OS reference: 608980E 274021N AOD: 52.48 m Direction of view: 325.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 06/03/2023 Photography Time: 16:43

Norwich to Tilbury Figure No: 13.9.18c Viewpoint 2.05: Mellis Green



OS reference: 608980E 274021N AOD: 52.48 m Direction of view: 325.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 06/03/2023 Photography Time: 16:43

Norwich to Tilbury Figure No: 13.9.18d Viewpoint 2.05: Mellis Green



OS reference:605419E 271826NAOD:63.34 mDirection of view:71.0°Nearest structure:2.1 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 09:12

Norwich to Tilbury Figure No: 13.9.19a Viewpoint 2.06: Mill Street, west of Gislingham



OS reference: 605419E 271826N AOD: 63.34 m Direction of view: 71.0° Nearest structure: 2.1 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 09:12

Norwich to Tilbury Figure No: 13.9.19b Viewpoint 2.06: Mill Street, west of Gislingham



OS reference: 605419E 271826N AOD: 63.34 m Direction of view: 161.0° Nearest structure: 2.1 km

Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: 96% 96% 841 x 297 mm (half A1) 820 x 250 mm

Camera:NIKON D750Photography Date: 07/03/2023Lens:50mm Fixed Focal LengthPhotography Time: 09:12Camera height:1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.19c Viewpoint 2.06: Mill Street, west of Gislingham



OS reference: 605419E 271826N AOD: 63.34 m Direction of view: 161.0° Nearest structure: 2.1 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 09:12

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

V N/ 45 CO 1 N 1/4 A

Norwich to Tilbury Figure No: 13.9.19d Viewpoint 2.06: Mill Street, west of Gislingham



OS reference: 608585E 269597N AOD: 40.82 m Direction of view: 233.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.20a Viewpoint 2.08: Wickham Street



OS reference: 608585E 269597N AOD: 40.82 m Direction of view: 233.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 10:07

Norwich to Tilbury Figure No: 13.9.20b Viewpoint 2.08: Wickham Street



OS reference: 608585E 269597N AOD: 40.82 m Direction of view: 323.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.20c Viewpoint 2.08: Wickham Street




OS reference: 608585E 269597N AOD: 40.82 m Direction of view: 323.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 10:07



Norwich to Tilbury Figure No: 13.9.20d Viewpoint 2.08: Wickham Street



OS reference: 607677E 268025N AOD: 52.54 m Direction of view: 38.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.21a Viewpoint 2.09: Dandy Corner



OS reference: 607677E 268025N AOD: 52.54 m Direction of view: 38.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:


Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 10:31





Norwich to Tilbury Figure No: 13.9.21b Viewpoint 2.09: Dandy Corner



OS reference: 607677E 268025N AOD: 52.54 m Direction of view: 128.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.21c Viewpoint 2.09: Dandy Corner



OS reference: 607677E 268025N AOD: 52.54 m Direction of view: 128.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 10:31

Norwich to Tilbury Figure No: 13.9.21d Viewpoint 2.09: Dandy Corner