Volume II: Figures

Part 15 of 27:

Figures 13.9.29 - 13.9.34 - Wireline Visualisations







OS reference: 603967E 250293N
AOD: 79.5 m
Direction of view: 83.0°
Nearest structure: 1.6 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 14:11

Norwich to Tilbury Figure No: 13.9.29a Viewpoint 2.18: B1078, Great Bricett





603967E 250293N 79.5 m Direction of view: 83.0°
Nearest structure: 1.6 km

Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 14:11

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.29b Viewpoint 2.18: B1078, Great Bricett






OS reference: 606380E 249212N
AOD: 60.49 m
Direction of view: 193.0°
Nearest structure: 0.5 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:41





606380E 249212N Direction of view: 193.0°

Nearest structure: 0.5 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: Paper size: Correct printed image size:

841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Photography Date: 07/03/2023 Photography Time: 15:41





OS reference: 606380E 249212N
AOD: 60.49 m
Direction of view: 283.0°
Nearest structure: 0.5 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical)
Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:41





606380E 249212N Direction of view: 283.0°

Nearest structure: 0.5 km

Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm ` Correct printed image size:

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:41



national**grid**

OS reference: 606031E 247201N
AOD: 58.92 m
Direction of view: 24.0°
Nearest structure: 1.3 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical)
Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:09





606031E 247201N Direction of view: 24.0°
Nearest structure: 1.3 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) Correct printed image size: 820 x 250 mm `

NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:09

Norwich to Tilbury Figure No: 13.9.31b Viewpoint 2.21: Elmsett

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.





OS reference: 606031E 247201N
AOD: 58.92 m
Direction of view: 114.0°
Nearest structure: 1.3 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) lmage enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 15:09





Direction of view: 114.0°

Nearest structure: 1.3 km

606031E 247201N Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: 841 x 297 mm (half A1) 820 x 250 mm ` Correct printed image size:

Photography Date: 07/03/2023 Photography Time: 15:09 NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.31d Viewpoint 2.21: Elmsett





OS reference: 609841E 277657N
AOD: 49.53 m
Direction of view: 6.0°
Nearest structure: 0.4 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) lmage enlargement factor: 96% Paper size: 841 x 297 mm (half A1) Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 09:52

Norwich to Tilbury Figure No: 13.9.32a Viewpoint 2.22: PRoW near Goodrich Park





Direction of view: 6.0°

Nearest structure: 0.4 km

609841E 277657N

Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 09:52

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data.

The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.





609841E 277657N Direction of view: 6.0°

Nearest structure: 0.4 km

Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 09:52

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data.

The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.




national**grid**

OS reference: 609841E 277657N
AOD: 49.53 m
Direction of view: 96.0°
Nearest structure: 0.4 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical)
Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 09:52





609841E 277657N Direction of view: 96.0°

Nearest structure: 0.4 km Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm `

Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 09:52

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.32e Viewpoint 2.22: PRoW near Goodrich Park





OS reference: 608983E 265990N
AOD: 57.47 m
Direction of view: 223.0°
Nearest structure: 0.4 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) lmage enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 10:48

Norwich to Tilbury Figure No: 13.9.33a Viewpoint 2.24: PRoW near Mendlesham





OS reference: AOD: 608983E 265990N 57.47 m Direction of view: 223.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm ` Correct printed image size:

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 10:48



national**grid**

OS reference: 608983E 265990N
AOD: 57.47 m
Direction of view: 313.0°
Nearest structure: 0.4 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 10:48

Norwich to Tilbury Figure No: 13.9.33c Viewpoint 2.24: PRoW near Mendlesham





608983E 265990N 57.47 m Direction of view: 313.0° Nearest structure: 0.4 km

Image enlargement factor: Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm ` Correct printed image size:

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 10:48






OS reference: 609437E 249463N
AOD: 55.15 m
Direction of view: 167.0°
Nearest structure: 1.9 km

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical)
Image enlargement factor: 96%
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 250 mm

Camera: NIKON D750
Lens: 50mm Fixed Focal Length
Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 11:52

Norwich to Tilbury Figure No: 13.9.34a Viewpoint 2.25: Nettlestead





609437E 249463N Direction of view: 167.9°

Nearest structure: 1.9 km

Image enlargement factor: Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 841 x 297 mm (half A1) 820 x 250 mm ` Correct printed image size:

NIKON D750 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 11:52





OS reference: 609437E 249463N Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) Camera: NIKON D750 Photography Date: 05/04/2023 Lens: 50mm Fixed Focal Length Photography Time: 11:52 Direction of view: 257.0° Paper size: 841 x 297 mm (half A1) Camera height: 1.5 m (above AOD)

Nearest structure: 1.9 km Correct printed image size: 820 x 250 mm

Norwich to Tilbury Figure No: 13.9.34c Viewpoint 2.25: Nettlestead





609437E 249463N AOD: 55.15 m Direction of view: 257.0°

Nearest structure: 1.9 km

Image enlargement factor: Paper size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm Correct printed image size:

NIKON D750 Camera: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 05/04/2023 Photography Time: 11:52

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure.

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.