# Volume II: Figures

Part 16 of 27:

Figures 13.9.35 - 13.9.42 - Wireline Visualisations

nationalgrid



OS reference:609279E 245170NAOD:50.7 mDirection of view:7.0°Nearest structure:0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.35a Viewpoint 3.01: Church Hill



OS reference: 609279E 245170N AOD: 50.7 m Direction of view: 7.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 14:40

Norwich to Tilbury Figure No: 13.9.35b Viewpoint 3.01: Church Hill



OS reference: 609279E 245170N AOD: 50.7 m Direction of view: 97.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.35c Viewpoint 3.01: Church Hill



OS reference: 609279E 245170N AOD: 50.7 m Direction of view: 97.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 14:40

Norwich to Tilbury Figure No: 13.9.35d Viewpoint 3.01: Church Hill



OS reference:610221E 244401NAOD:43.49 mDirection of view:9.0°Nearest structure:0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.36a Viewpoint 3.02: Burstall



OS reference: 610221E 244401N AOD: 43.49 m Direction of view: 9.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:


Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 14:13



time the both as had be for the forting of the forting of the stand of the both and the both and

Norwich to Tilbury Figure No: 13.9.36b Viewpoint 3.02: Burstall



OS reference:610221E 244401NAOD:43.49 mDirection of view:99.0°Nearest structure:0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.36c Viewpoint 3.02: Burstall



OS reference: 610221E 244401N AOD: 43.49 m Direction of view: 99.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 14:13

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.36d Viewpoint 3.02: Burstall



OS reference: 610221E 244401N AOD: 43.49 m Direction of view: 189.0° Nearest structure: 0.7 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.36e Viewpoint 3.02: Burstall



OS reference: 610221E 244401N AOD: 43.49 m Direction of view: 189.0° Nearest structure: 0.7 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 14:13

Norwich to Tilbury Figure No: 13.9.36f Viewpoint 3.02: Burstall



OS reference: 610769E 241968N AOD: 45.51 m Direction of view: 252.0° Nearest structure: 0.8 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.37a Viewpoint 3.04: Washbrook



OS reference: 610769E 241968N AOD: 45.51 m Direction of view: 252.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 02/03/2023 Photography Time: 11:09

Norwich to Tilbury Figure No: 13.9.37b Viewpoint 3.04: Washbrook



OS reference: 610769E 241968N AOD: 45.51 m Direction of view: 342.0° Nearest structure: 0.8 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Camera:NIKON D750Photography Date:02/03/2023Image enlargement factor:96%Lens:50mm Fixed Focal LengthPhotography Time:11:09Paper size:841 x 297 mm (half A1)Camera height:1.5 m (above AOD)Photography Time:11:09

Norwich to Tilbury Figure No: 13.9.37c Viewpoint 3.04: Washbrook



OS reference: 610769E 241968N AOD: 45.51 m Direction of view: 342.0° Nearest structure: 0.8 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 02/03/2023 Photography Time: 11:09

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.37d Viewpoint 3.04: Washbrook



OS reference: 608868E 242088N AOD: 52.28 m Direction of view: 113.0° Nearest structure: 0.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.38a Viewpoint 3.05: Chattisham, NCR 1



OS reference: 608868E 242088N AOD: 52.28 m Direction of view: 113.0° Nearest structure: 0.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 11:58

Norwich to Tilbury Figure No: 13.9.38b Viewpoint 3.05: Chattisham, NCR 1



OS reference: 608868E 242088N AOD: 52.28 m Direction of view: 203.0° Nearest structure: 0.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.38c Viewpoint 3.05: Chattisham, NCR 1



OS reference: 608868E 242088N AOD: 52.28 m Direction of view: 203.0° Nearest structure: 0.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white.

Photography Date: 07/03/2023 Photography Time: 11:58

The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Norwich to Tilbury Figure No: 13.9.38d Viewpoint 3.05: Chattisham, NCR 1



OS reference: 608699E 243286N AOD: 50.47 m Direction of view: 191.0° Nearest structure: 1.6 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.39a Viewpoint 3.06: Hintlesham



OS reference: 608699E 243286N AOD: 50.47 m Direction of view: 191.0° Nearest structure: 1.6 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 12:22

Norwich to Tilbury Figure No: 13.9.39b Viewpoint 3.06: Hintlesham



OS reference: 606804E 241405N AOD: 53.59 m Direction of view: 78.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 07/03/2023 Photography Time: 11:37

Norwich to Tilbury Figure No: 13.9.40a Viewpoint 3.08: NCR 1, Woodlands Road



OS reference: 606804E 241405N AOD: 53.59 m Direction of view: 78.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 11:37

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.40b Viewpoint 3.08: NCR 1, Woodlands Road



OS reference: 606804E 241405N AOD: 53.59 m Direction of view: 168.0° Nearest structure: 1.0 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.40c Viewpoint 3.08: NCR 1, Woodlands Road



OS reference: 606804E 241405N AOD: 53.59 m Direction of view: 168.0° Nearest structure: 1.0 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 07/03/2023 Photography Time: 11:37

Norwich to Tilbury Figure No: 13.9.40d Viewpoint 3.08: NCR 1, Woodlands Road



OS reference:608072E 239179NAOD:40.8 mDirection of view:341.0°Nearest structure:1.4 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.41a Viewpoint 3.09: Little Wenham



OS reference: AOD: 608072E 239179N 40.8 m Direction of view: 341.0° Nearest structure: 1.4 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 02/03/2023 Photography Time: 10:14

Norwich to Tilbury Figure No: 13.9.41b Viewpoint 3.09: Little Wenham



OS reference: 605310E 229788N AOD: 37.84 m Direction of view: 283.0° Nearest structure: 0.2 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.42a Viewpoint 3.11: Ardleigh




OS reference: 605310E 229788N AOD: 37.84 m Direction of view: 283.0° Nearest structure: 0.2 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views. Photography Date: 19/01/2024 Photography Time: 12:29 NIKON D750 Camera: 50mm Fixed Focal Length Lens: Camera height: 1.5 m (above AOD)





Norwich to Tilbury Figure No: 13.9.42b Viewpoint 3.11: Ardleigh



OS reference: 605310E 229788N AOD: 37.84 m Direction of view: 13.0° Nearest structure: 0.2 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Photography Date: 19/01/2024 Photography Time: 12:29

Norwich to Tilbury Figure No: 13.9.42c Viewpoint 3.11: Ardleigh



OS reference: AOD: 605310E 229788N 37.84 m Direction of view: 13.0° Nearest structure: 0.2 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 19/01/2024 Photography Time: 12:29

Norwich to Tilbury Figure No: 13.9.42d Viewpoint 3.11: Ardleigh



OS reference: 605310E 229788N AOD: 37.84 m Direction of view: 103.0° Nearest structure: 0.2 km

Field of view (cylindrical projection):90° (horizontal) x 27° (vertical)Image enlargement factor:96%Paper size:841 x 297 mm (half A1)Correct printed image size:820 x 250 mm

Camera: NIKON D750 Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD)

Norwich to Tilbury Figure No: 13.9.42e Viewpoint 3.11: Ardleigh



OS reference: 605310E 229788N AOD: 37.84 m Direction of view: 103.0° Nearest structure: 0.2 km

Image enlargement factor: Paper size: Correct printed image size:

Field of view (cylindrical projection): 90° (horizontal) x 27° (vertical) 96% 841 x 297 mm (half A1) 820 x 250 mm `

NIKON D750 Camera: Lens: 50mm Fixed Focal Length Camera height: 1.5 m (above AOD) Type 4 photowirelines have been produced in accordance with the Landscape Institute's Technical Guidance Note 06/19 - Visual Representation of Development Proposals. Wireline overlay images have been aligned with the baseline photography using a Digital Terrain Model (DTM) created from LiDAR 2m height data. The DTM overlay shows the topography as a series of line markings in white. The Project is shown in blue to clearly illustrate the scale, form and extent of development, and to help differentiate between the Project and existing electricity infrastructure. The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views.

Photography Date: 19/01/2024 Photography Time: 12:29

The photowirelines do not account for screening or filtering of views towards the Project by existing buildings and / or vegetation in baseline views nor do they reflect instances where existing electricity infrastructure would be removed such as existing 132 kV pylons and lower voltage wood poles.

Norwich to Tilbury Figure No: 13.9.42f Viewpoint 3.11: Ardleigh