

The Great Grid Upgrade

Eastern Green Link 5 (EGL 5)

Preliminary Environmental Information Report

Volume 2

Part 2

Appendix 10.A EGL 5 Groundsure Report

Document Reference: EGL5-NGET-CONS-XX-RP-YL-041

May 2026

nationalgrid


EGL 5 Full RLB

Order Details

Date: 01/10/2025
Your ref: EGL 5 Full RLB 100125314 EXLAB-1
Our Ref: GS-A3E-XFG-AMO-KXL

Site Details

Location: 549744 377274
Area: 985.62 ha
Authority: [East Lindsey District Council](#)



Summary of findings

[p. 2 >](#)

Aerial image

[p. 9 >](#)

OS MasterMap site plan

N/A: >10ha

[Insight User Guide](#)

Contact us with any questions at:

info@groundsure.com

01273 257 755

Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
14 >	1.1 >	Historical industrial land uses >	5	6	27	38	-
17 >	1.2 >	Historical tanks >	0	0	3	1	-
18 >	1.3 >	Historical energy features >	0	0	1	5	-
18	1.4	Historical petrol stations	0	0	0	0	-
19 >	1.5 >	Historical garages >	0	1	2	2	-
19	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
20 >	2.1 >	Historical industrial land uses >	6	7	34	50	-
24 >	2.2 >	Historical tanks >	0	0	6	1	-
25 >	2.3 >	Historical energy features >	0	0	2	6	-
25	2.4	Historical petrol stations	0	0	0	0	-
25 >	2.5 >	Historical garages >	0	1	3	5	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
27	3.1	Active or recent landfill	0	0	0	0	-
27 >	3.2 >	Historical landfill (BGS records) >	0	0	0	1	-
28	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
28 >	3.4 >	Historical landfill (EA/NRW records) >	1	0	0	1	-
29 >	3.5 >	Historical waste sites >	0	0	1	0	-
29 >	3.6 >	Licensed waste sites >	0	0	1	1	-
30 >	3.7 >	Waste exemptions >	5	8	187	116	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
55 >	4.1 >	Recent industrial land uses >	0	4	29	-	-
57 >	4.2 >	National Geographic Database (NGD) - Current or recent tanks >	0	1	4	-	-
58 >	4.3 >	Current or recent petrol stations >	0	0	2	1	-
58	4.4	Electricity cables	0	0	0	0	-
58	4.5	Gas pipelines	0	0	0	0	-



58	4.6	Sites determined as Contaminated Land	0	0	0	0	-
59	4.7	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
59	4.8	Regulated explosive sites	0	0	0	0	-
59	4.9	Hazardous substance storage/usage	0	0	0	0	-
59	4.10	Historical licensed industrial activities (IPC)	0	0	0	0	-
59 >	4.11 >	<u>Licensed industrial activities (Part A(1)) ></u>	0	0	1	1	-
60 >	4.12 >	<u>Licensed pollutant release (Part A(2)/B) ></u>	0	0	1	2	-
61	4.13	Radioactive Substance Authorisations	0	0	0	0	-
61 >	4.14 >	<u>Licensed Discharges to controlled waters ></u>	3	3	14	13	-
66	4.15	Pollutant release to surface waters (Red List)	0	0	0	0	-
66 >	4.16 >	<u>Pollutant release to public sewer ></u>	0	0	0	2	-
66	4.17	List 1 Dangerous Substances	0	0	0	0	-
67 >	4.18 >	<u>List 2 Dangerous Substances ></u>	0	0	1	2	-
67 >	4.19 >	<u>Pollution Incidents (EA/NRW) ></u>	2	0	1	3	-
68 >	4.20 >	<u>Pollution inventory substances ></u>	0	0	4	0	-
69	4.21	Pollution inventory waste transfers	0	0	0	0	-
69	4.22	Pollution inventory radioactive waste	0	0	0	0	-

Page	Section	<u>Hydrogeology ></u>	On site	0-50m	50-250m	250-500m	500-2000m
70 >	5.1 >	<u>Superficial aquifer ></u>	Identified (within 500m)				
73 >	5.2 >	<u>Bedrock aquifer ></u>	Identified (within 500m)				
75 >	5.3 >	<u>Groundwater vulnerability ></u>	Identified (within 50m)				
86 >	5.4 >	<u>Groundwater vulnerability- soluble rock risk ></u>	Identified (within 0m)				
86	5.5	Groundwater vulnerability- local information	None (within 0m)				
87 >	5.6 >	<u>Groundwater abstractions ></u>	4	8	5	3	23
96 >	5.7 >	<u>Surface water abstractions ></u>	0	0	0	1	1
97 >	5.8 >	<u>Potable abstractions ></u>	0	3	0	1	2
99 >	5.9 >	<u>Source Protection Zones ></u>	5	1	0	0	-
99 >	5.10 >	<u>Source Protection Zones (confined aquifer) ></u>	3	0	1	0	-
Page	Section	<u>Hydrology ></u>	On site	0-50m	50-250m	250-500m	500-2000m



100 >	6.1 >	Water Network (OS MasterMap) >	504	114	263	-	-
168 >	6.2 >	Surface water features >	1	46	120	-	-
169 >	6.3 >	WFD Surface water body catchments >	4	-	-	-	-
169 >	6.4 >	WFD Surface water bodies >	4	0	0	-	-
170 >	6.5 >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding >	On site	0-50m	50-250m	250-500m	500-2000m
171 >	7.1 >	Risk of flooding from rivers and the sea >	High (within 50m)				
172 >	7.2 >	Historical Flood Events >	1	0	0	-	-
172 >	7.3 >	Flood Defences >	5	0	2	-	-
173	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
173	7.5	Flood Storage Areas	0	0	0	-	-
174 >	7.6 >	Flood Zone 2 >	Identified (within 50m)				
175 >	7.7 >	Flood Zone 3 >	Identified (within 50m)				
Page	Section	Surface water flooding >					
176 >	8.1 >	Surface water flooding >	1 in 30 year, Greater than 1.0m (within 50m)				
Page	Section	Groundwater flooding >					
178 >	9.1 >	Groundwater flooding >	Moderate (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
179 >	10.1 >	Sites of Special Scientific Interest (SSSI) >	0	0	0	1	3
180	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
180	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
180 >	10.4 >	Special Protection Areas (SPA) >	2	0	0	0	0
181	10.5	National Nature Reserves (NNR)	0	0	0	0	0
181	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
181 >	10.7 >	Designated Ancient Woodland >	0	0	0	0	5
182	10.8	Biosphere Reserves	0	0	0	0	0
182	10.9	Forest Parks	0	0	0	0	0
182	10.10	Marine Conservation Zones	0	0	0	0	0
182	10.11	Green Belt	0	0	0	0	0



183	10.12	Proposed Ramsar sites	0	0	0	0	0
183	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
183	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
183	10.15	Nitrate Sensitive Areas	0	0	0	0	0
184 >	10.16 >	Nitrate Vulnerable Zones >	8	0	0	0	3
185	10.17	SSSI Impact Risk Zones	0	-	-	-	-
186 >	10.18 >	SSSI Units >	0	0	0	1	3
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
188	11.1	World Heritage Sites	0	0	0	-	-
189	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
189	11.3	National Parks	0	0	0	-	-
189 >	11.4 >	Listed Buildings >	1	1	19	-	-
190 >	11.5 >	Conservation Areas >	0	0	1	-	-
191 >	11.6 >	Scheduled Ancient Monuments >	0	0	1	-	-
191	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
192 >	12.1 >	Agricultural Land Classification >	Grade 2 (within 250m)				
193	12.2	Open Access Land	0	0	0	-	-
194	12.3	Tree Felling Licences	0	0	0	-	-
194 >	12.4 >	Environmental Stewardship Schemes >	4	4	0	-	-
194 >	12.5 >	Countryside Stewardship Schemes >	18	1	1	-	-
Page	Section	Habitat designations >	On site	0-50m	50-250m	250-500m	500-2000m
196 >	13.1 >	Priority Habitat Inventory >	24	3	24	-	-
198 >	13.2 >	Habitat Networks >	11	0	0	-	-
199	13.3	Open Mosaic Habitat	0	0	0	-	-
199	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
200 >	14.1 >	10k Availability >	Identified (within 500m)				
201	14.2	Artificial and made ground (10k)	0	0	0	0	-

202	14.3	Superficial geology (10k)	0	0	0	0	-
202	14.4	Landslip (10k)	0	0	0	0	-
203	14.5	Bedrock geology (10k)	0	0	0	0	-
203	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	-
Page	Section	Geology 1:50,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
204 >	15.1 >	50k Availability >	Identified (within 500m)				
205	15.2	Artificial and made ground (50k)	0	0	0	0	-
205	15.3	Artificial ground permeability (50k)	0	0	-	-	-
206 >	15.4 >	Superficial geology (50k) >	11	0	4	2	-
207 >	15.5 >	Superficial permeability (50k) >	Identified (within 50m)				
208	15.6	Landslip (50k)	0	0	0	0	-
208	15.7	Landslip permeability (50k)	None (within 50m)				
209 >	15.8 >	Bedrock geology (50k) >	6	0	1	0	-
210 >	15.9 >	Bedrock permeability (50k) >	Identified (within 50m)				
210	15.10	Bedrock faults and other linear features (50k)	0	0	0	0	-
Page	Section	Boreholes >	On site	0-50m	50-250m	250-500m	500-2000m
211 >	16.1 >	BGS Boreholes >	17	11	29	-	-
Page	Section	Natural ground subsidence >					
215 >	17.1 >	Shrink swell clays >	Low (within 50m)				
217 >	17.2 >	Running sands >	Moderate (within 50m)				
219 >	17.3 >	Compressible deposits >	Moderate (within 50m)				
221 >	17.4 >	Collapsible deposits >	Very low (within 50m)				
223 >	17.5 >	Landslides >	Very low (within 50m)				
224 >	17.6 >	Ground dissolution of soluble rocks >	Negligible (within 50m)				
Page	Section	Mining and ground workings >	On site	0-50m	50-250m	250-500m	500-2000m
226 >	18.1 >	BritPits >	0	0	1	0	-
227 >	18.2 >	Surface ground workings >	10	2	15	-	-
228 >	18.3 >	Underground workings >	0	0	0	0	5
229	18.4	Underground mining extents	0	0	0	0	-




229	18.5	Historical Mineral Planning Areas	0	0	0	0	-
229	18.6	Non-coal mining	0	0	0	0	0
229	18.7	JPB mining areas	None (within 0m)				
229	18.8	The Coal Authority non-coal mining	0	0	0	0	-
230	18.9	Researched mining	0	0	0	0	-
230	18.10	Mining record office plans	0	0	0	0	-
230	18.11	BGS mine plans	0	0	0	0	-
230	18.12	Coal mining	None (within 0m)				
231	18.13	Brine areas	None (within 0m)				
231	18.14	Gypsum areas	None (within 0m)				
231	18.15	Tin mining	None (within 0m)				
231	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
232	19.1	Natural cavities	0	0	0	0	-
232	19.2	Mining cavities	0	0	0	0	0
232	19.3	Reported recent incidents	0	0	0	0	-
232	19.4	Historical incidents	0	0	0	0	-
Page	Section	Radon >					
234 >	20.1 >	Radon >	Between 1% and 3% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
236 >	21.1 >	BGS Estimated Background Soil Chemistry >	194	26	-	-	-
248	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
249	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects >	On site	0-50m	50-250m	250-500m	500-2000m
250	22.1	Underground railways (London)	0	0	0	-	-
250	22.2	Underground railways (Non-London)	0	0	0	-	-
251	22.3	Railway tunnels	0	0	0	-	-
251 >	22.4 >	Historical railway and tunnel features >	0	0	6	-	-
251	22.5	Royal Mail tunnels	0	0	0	-	-



252 >	22.6 >	Historical railways >	6	0	0	-	-
252	22.7	Railways	0	0	0	-	-
252	22.8	Crossrail 2	0	0	0	0	-
252	22.9	HS2	0	0	0	0	-

Recent aerial photograph



Capture Date: 04/04/2023

Site Area: 985.62ha



Recent site history - 2020 aerial photograph



Capture Date: 08/04/2020

Site Area: 985.62ha



Recent site history - 2016 aerial photograph



Capture Date: 10/04/2016

Site Area: 985.62ha



Recent site history - 2009 aerial photograph



Capture Date: 30/06/2009

Site Area: 985.62ha



Recent site history - 1999 aerial photograph





Capture Date: 29/05/1999

Site Area: 985.62ha



1 Past land use



1.1 Historical industrial land uses

Records within 500m **76**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14](#) >

ID	Location	Land use	Dates present	Group ID
1	On site	Cuttings	1887	2034786

ID	Location	Land use	Dates present	Group ID
2	On site	Unspecified Heap	1969	2038023
A	On site	Unspecified Yard	1969	2043157
A	On site	Unspecified Yard	1905 - 1946	2048274
A	On site	Unspecified Yard	1951	2064484
3	23m SE	Unspecified Tank	1951	2037473
B	34m S	Windmill	1946 - 1951	2044181
C	39m NE	Tramway Depot	1887	2040960
B	42m SE	Flour Windmill	1887	2042706
B	45m SE	Windmills	1905	2034685
D	49m N	Brick Pits	1951	2057436
D	50m N	Brick Pits	1887 - 1946	2044638
B	53m SE	Unspecified Tank	1951	2037472
5	75m N	Unspecified Pit	1905 - 1946	2052582
6	98m SE	Unspecified Depot	1979	2035100
E	102m SE	Windmill	1887	2067755
E	105m SE	Cuttings	1887	2034778
F	118m SE	Flour Windmill	1887	2042695
F	119m SE	Windmill	1973	2046493
F	119m SE	Windmills	1905	2034684
F	119m SE	Windmill	1946	2060820
F	120m SE	Windmill	1951	2045388
G	125m SE	Railway Sidings	1887	2043979
F	129m SE	Unspecified Tank	1951 - 1973	2060100
E	131m SE	Windmill	1905	2057788
E	133m SE	Flour Windmill	1887	2042693
E	138m SE	Windmill	1953	2070947
G	169m SE	Unspecified Works	1979	2036687
F	177m SE	Unspecified Tank	1951	2037326



ID	Location	Land use	Dates present	Group ID
7	197m W	Unspecified Tank	1951	2037325
8	204m E	Hospital	1979	2036319
G	211m SE	Railway Sidings	1887 - 1905	2058998
G	211m SE	Railway Sidings	1953	2057347
H	213m SE	Windmill	1953	2062820
G	214m SE	Railway Station	1887	2043891
G	222m SE	Railway Sidings	1887	2046712
G	232m SE	Railway Station	1887 - 1905	2061267
G	235m SE	Railway Station	1953	2052385
H	259m SE	Windmill	1887 - 1905	2059959
I	259m N	Coastguard Station	1904	2049655
I	259m N	Coastguard Station	1940	2069764
I	262m N	Coastguard Station	1886 - 1888	2067278
I	270m N	Coastguard Station	1905 - 1940	2046836
H	274m SE	Unspecified Windmill	1887	2034546
G	290m SE	Cattle Pens	1887	2036329
J	309m S	Police Station	1887	2041920
J	310m S	Police Station	1973	2041935
K	318m S	Cuttings	1888	2053678
L	319m SE	Smithy	1887	2047406
K	319m S	Cuttings	1951	2053152
L	319m SE	Fire Engine Station	1973	2036134
10	320m S	Cuttings	1905 - 1946	2068667
M	333m NW	Rifle Range	1887	2049577
M	334m NW	Rifle Range	1887 - 1905	2044311
L	334m SE	Smithy	1905 - 1946	2069458
L	335m SE	Smithy	1951	2063985
12	350m E	Cuttings	1905 - 1946	2049328



ID	Location	Land use	Dates present	Group ID
13	356m SE	Nursery	1887	2038756
N	364m W	Nursery	1975	2068658
N	367m W	Nursery	1887	2070004
N	373m W	Nursery	1953 - 1979	2068495
15	391m S	Brewery	1887	2042130
G	395m SE	Goods Shed	1887 - 1905	2064931
16	403m SE	Police Station	1979	2041919
G	411m SE	Railway Building	1953	2066018
G	411m SE	Railway Building	1887	2044873
O	423m SW	Chalk Pit	1887 - 1905	2069501
O	431m SW	Chalk Pit	1887	2045032
G	432m E	Gasometer	1887	2042886
17	443m SW	Nursery	1887 - 1905	2054623
Q	460m S	Brewery	1951	2066359
Q	471m S	Brewery	1905	2048673
Q	471m S	Brewery	1946	2055656
R	474m SE	Smithy	1905 - 1946	2066174
R	475m SE	Smithy	1951	2041130
O	477m SW	Unspecified Disused Pit	1979	2039098

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m

4

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14 >](#)



ID	Location	Land use	Dates present	Group ID
B	54m SE	Unspecified Tank	1971	355132
E	136m SE	Unspecified Tank	1971 - 1991	356669
E	138m SE	Unspecified Tank	1995	357577
11	326m W	Unspecified Tank	1999	355116

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m	6
----------------------------	----------

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14 >](#)

ID	Location	Land use	Dates present	Group ID
9	212m SE	Electricity Substation	1991 - 1995	246027
G	330m SE	Electricity Substation	1991	246188
G	331m SE	Electricity Substation	1995	245835
14	361m SE	Electricity Substation	1991 - 1995	246181
P	436m SE	Electricity Substation	1991	247193
P	437m SE	Electricity Substation	1995	246460

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m	0
----------------------------	----------

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



1.5 Historical garages

Records within 500m

5

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14 >](#)

ID	Location	Land use	Dates present	Group ID
4	40m SW	Garage	1971	75584
C	104m SE	Garage	1986 - 1989	75947
C	166m SE	Garage	1971	76524
L	346m SE	Garage	1988	75578
18	488m SE	Garage	1971 - 1991	76208

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land

Records within 500m


0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.







2 Past land use - un-grouped



Site Outline

Search buffers in metres (m)

-  Historical industrial land uses
-  Historical tanks
-  Historical energy features
-  Historical garages

2.1 Historical industrial land uses

Records within 500m

97

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 20 >](#)

ID	Location	Land Use	Date	Group ID
1	On site	Cuttings	1887	2034786
2	On site	Unspecified Heap	1969	2038023
A	On site	Unspecified Yard	1946	2048274



ID	Location	Land Use	Date	Group ID
A	On site	Unspecified Yard	1905	2048274
A	On site	Unspecified Yard	1951	2064484
A	On site	Unspecified Yard	1969	2043157
3	23m SE	Unspecified Tank	1951	2037473
B	34m S	Windmill	1951	2044181
C	39m NE	Tramway Depot	1887	2040960
B	42m SE	Flour Windmill	1887	2042706
B	45m SE	Windmill	1946	2044181
B	45m SE	Windmills	1905	2034685
D	49m N	Brick Pits	1951	2057436
D	50m N	Brick Pits	1946	2044638
D	50m N	Brick Pits	1905	2044638
B	53m SE	Unspecified Tank	1951	2037472
D	54m N	Brick Pits	1887	2044638
D	54m N	Brick Pits	1887	2044638
E	75m N	Unspecified Pit	1946	2052582
E	75m N	Unspecified Pit	1905	2052582
5	98m SE	Unspecified Depot	1979	2035100
F	102m SE	Windmill	1887	2067755
F	105m SE	Cuttings	1887	2034778
G	118m SE	Flour Windmill	1887	2042695
G	119m SE	Windmill	1973	2046493
G	119m SE	Windmill	1946	2060820
G	119m SE	Windmills	1905	2034684
G	120m SE	Windmill	1951	2045388
H	125m SE	Railway Sidings	1887	2043979
G	129m SE	Unspecified Tank	1951	2060100
G	130m SE	Unspecified Tank	1973	2060100



ID	Location	Land Use	Date	Group ID
F	131m SE	Windmill	1905	2057788
F	133m SE	Flour Windmill	1887	2042693
F	138m SE	Windmill	1953	2070947
H	169m SE	Unspecified Works	1979	2036687
G	177m SE	Unspecified Tank	1951	2037326
6	197m W	Unspecified Tank	1951	2037325
7	204m E	Hospital	1979	2036319
H	211m SE	Railway Sidings	1887	2058998
H	211m SE	Railway Sidings	1905	2058998
H	211m SE	Railway Sidings	1953	2057347
J	213m SE	Windmill	1953	2062820
H	214m SE	Railway Station	1887	2043891
H	222m SE	Railway Sidings	1887	2046712
H	232m SE	Railway Station	1887	2061267
H	232m SE	Railway Station	1905	2061267
H	235m SE	Railway Station	1953	2052385
J	259m SE	Windmill	1887	2059959
J	259m SE	Windmill	1905	2059959
K	259m N	Coastguard Station	1904	2049655
K	259m N	Coastguard Station	1940	2069764
K	262m N	Coastguard Station	1886	2067278
K	270m N	Coastguard Station	1905	2046836
K	271m N	Coastguard Station	1940	2046836
K	271m N	Coastguard Station	1888	2067278
J	274m SE	Unspecified Windmill	1887	2034546
H	290m SE	Cattle Pens	1887	2036329
L	309m S	Police Station	1887	2041920
L	310m S	Police Station	1973	2041935



ID	Location	Land Use	Date	Group ID
M	318m S	Cuttings	1888	2053678
N	319m SE	Smithy	1887	2047406
M	319m S	Cuttings	1951	2053152
N	319m SE	Fire Engine Station	1973	2036134
O	320m S	Cuttings	1946	2068667
O	320m S	Cuttings	1905	2068667
P	333m NW	Rifle Range	1887	2049577
P	334m NW	Rifle Range	1887	2044311
P	334m NW	Rifle Range	1905	2044311
N	334m SE	Smithy	1946	2069458
N	334m SE	Smithy	1905	2069458
N	335m SE	Smithy	1951	2063985
Q	350m E	Cuttings	1946	2049328
Q	350m E	Cuttings	1905	2049328
9	356m SE	Nursery	1887	2038756
S	364m W	Nursery	1975	2068658
S	367m W	Nursery	1887	2070004
S	373m W	Nursery	1953	2068495
S	373m W	Nursery	1979	2068495
10	391m S	Brewery	1887	2042130
H	395m SE	Goods Shed	1905	2064931
H	401m SE	Goods Shed	1887	2064931
11	403m SE	Police Station	1979	2041919
H	411m SE	Railway Building	1953	2066018
H	411m SE	Railway Building	1887	2044873
T	423m SW	Chalk Pit	1887	2069501
T	423m SW	Chalk Pit	1905	2069501
T	431m SW	Chalk Pit	1887	2045032



ID	Location	Land Use	Date	Group ID
H	432m E	Gasometer	1887	2042886
V	443m SW	Nursery	1887	2054623
V	443m SW	Nursery	1905	2054623
W	460m S	Brewery	1951	2066359
W	471m S	Brewery	1946	2055656
W	471m S	Brewery	1905	2048673
X	474m SE	Smithy	1946	2066174
X	474m SE	Smithy	1905	2066174
X	475m SE	Smithy	1951	2041130
T	477m SW	Unspecified Disused Pit	1979	2039098

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

7

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 20 >](#)

ID	Location	Land Use	Date	Group ID
B	54m SE	Unspecified Tank	1971	355132
F	136m SE	Unspecified Tank	1971	356669
F	136m SE	Unspecified Tank	1991	356669
F	136m SE	Unspecified Tank	1986	356669
F	136m SE	Unspecified Tank	1989	356669
F	138m SE	Unspecified Tank	1995	357577
8	326m W	Unspecified Tank	1999	355116

This data is sourced from Ordnance Survey / Groundsure.



2.3 Historical energy features

Records within 500m

8

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 20 >](#)

ID	Location	Land Use	Date	Group ID
I	212m SE	Electricity Substation	1995	246027
I	213m SE	Electricity Substation	1991	246027
H	330m SE	Electricity Substation	1991	246188
H	331m SE	Electricity Substation	1995	245835
R	361m SE	Electricity Substation	1991	246181
R	362m SE	Electricity Substation	1995	246181
U	436m SE	Electricity Substation	1991	247193
U	437m SE	Electricity Substation	1995	246460

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m

9

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 20 >](#)





ID	Location	Land Use	Date	Group ID
4	40m SW	Garage	1971	75584
C	104m SE	Garage	1986	75947
C	104m SE	Garage	1989	75947
C	166m SE	Garage	1971	76524
N	346m SE	Garage	1988	75578
Y	488m SE	Garage	1985	76208
Y	488m SE	Garage	1986	76208
Y	489m SE	Garage	1991	76208
Y	489m SE	Garage	1971	76208

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill



3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m

1

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Address	BGS Number	Risk	Waste Type
11	387m S	(Off) Caroline St, Alford, Lincs	5	Risk to major and minor aquifer	N/A

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m

2

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Details		
1	On site	Site Address: Land At Bilsby, Lincolnshire Licence Holder Address: -	Waste Licence: - Site Reference: EL-46-01/89 Waste Type: Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: - Licence Holder: - First Recorded - Last Recorded: -
12	394m SW	Site Address: Disused Workings, Miles Cross Hill, Well, Alford, Lincolnshire Licence Holder Address: -	Waste Licence: Yes Site Reference: R1, EL-2-01/89 Waste Type: Inert, Industrial, Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 31/12/1976 Licence Surrender: -	Operator: Lincolnshire County Council Licence Holder: - First Recorded 31/12/1976 Last Recorded: 31/12/1983

This data is sourced from the Environment Agency and Natural Resources Wales.



3.5 Historical waste sites

Records within 500m

1

Waste site records derived from Local Authority planning records and high detail historical mapping. Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Address	Further Details	Date
6	245m E	Site Address: land, White House,Alford Road, Huttoft, ALFORD, Lincolnshire, LN13 9RB	Type of Site: Waste Transfer Station (C/U) Planning application reference: N/089/0371/95 Description: An application (ref: N/089/0371/95) for Detailed Planning permission was submitted to East Lindsey D.C. on 8th March 1995. Data source: Historic Planning Application Data Type: Point	-

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m

2

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation. Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Details		
4	98m E	Site Name: Alford Road - Ringway Infrastructure Services Site Site Address: Ringway Infrastructure Services Ltd, Alford Road, Well, Alford, Lincolnshire, LN13 9JB Correspondence Address: -	Type of Site: Transfer Station taking Non-Biodegradable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: 649996 EPR reference: EA/EPR/SP3792NE Operator: Lincolnshire County Council Waste Management licence No: 73093 Annual Tonnage: 0	Issue Date: 28/07/2000 Effective Date: 28/07/2000 Modified: - Surrendered Date: 28/07/2000 Expiry Date: - Cancelled Date: - Status: Surrendered



ID	Location	Details		
16	463m S	Site Name: Alford Road T S Site Address: The White House, Alford Road, Huttoft, Lincolnshire, LN13 9RB Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: 660324 EPR reference: EA/EPR/SP3892NW Operator: Keith Ashbridge Waste Management licence No: 73088 Annual Tonnage: 4999	Issue Date: 05/06/2000 Effective Date: 05/06/2000 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Revoked

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m

316

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Site	Reference	Category	Sub-Category	Description
2	On site	-	WEX206053	Using waste exemption	On a farm	Use of waste in construction
A	On site	White House Farm Asserby Lincolnshire Ln13 9qr	EPR/HE5482V T/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
A	On site	White House Farm Asserby Lincolnshire Ln13 9qr	EPR/HE5482V T/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
A	On site	White House Farm Asserby Lincolnshire Ln13 9qr	EPR/HE5482V T/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
A	On site	White House Farm Asserby Lincolnshire Ln13 9qr	EPR/HE5482V T/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice



ID	Location	Site	Reference	Category	Sub-Category	Description
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Storing waste exemption	On a farm	Storage of waste in secure containers
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Using waste exemption	On a farm	Use of waste for a specified purpose
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Disposing of waste exemption	On a farm	Burning waste in the open
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX429461	Using waste exemption	On a farm	Use of waste in construction
B	20m N	Willow Farm, Asserby, Alford, Ln13 9qr	WEX450963	Using waste exemption	On a farm	Use of waste in construction
C	52m SE	Woodrow Farm, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX020985	Using waste exemption	On a farm	Use of waste in construction
C	52m SE	Woodrow Farm, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX020985	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
C	52m SE	Woodrow Farm, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX020985	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
C	52m E	-	WEX410185	Using waste exemption	On a farm	Use of waste in construction
C	52m E	-	WEX281839	Using waste exemption	On a farm	Use of waste in construction
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Storing waste exemption	Agricultural waste only	Storage of waste in secure containers
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Using waste exemption	Agricultural waste only	Use of waste in construction



ID	Location	Site	Reference	Category	Sub-Category	Description
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
D	60m S	Woodrow Farm Sutton Road Alford Lincolnshire Ln13 9rl	EPR/GE5450Q D/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
3	66m NE	Miles Cross Hill, Alford, Ln13 9lh	WEX377799	Using waste exemption	Not on a farm	Use of waste in construction
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Disposing of waste exemption	On a farm	Burning waste in the open
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Storing waste exemption	On a farm	Storage of waste in secure containers
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Storing waste exemption	On a farm	Storage of waste in a secure place
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Using waste exemption	On a farm	Use of waste in construction
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Using waste exemption	On a farm	Incorporation of ash into soil
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX008837	Using waste exemption	On a farm	Use of waste for a specified purpose
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Disposing of waste exemption	On a farm	Burning waste in the open



ID	Location	Site	Reference	Category	Sub-Category	Description
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Use of waste for a specified purpose
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Incorporation of ash into soil
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Use of waste in construction
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Storing waste exemption	On a farm	Storage of waste in a secure place
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Using waste exemption	On a farm	Pig and poultry ash
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX171463	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Disposing of waste exemption	On a farm	Burning waste in the open
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Storing waste exemption	On a farm	Storage of waste in a secure place



ID	Location	Site	Reference	Category	Sub-Category	Description
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Pig and poultry ash
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Incorporation of ash into soil
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Use of waste for a specified purpose
C	69m SE	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX304514	Using waste exemption	On a farm	Use of waste in construction
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Use of mulch
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Use of waste to manufacture finished goods
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Use of depolluted end-of-life vehicles for vehicle parts
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Disposing of waste exemption	On a farm	Burning waste in the open
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Storing waste exemption	On a farm	Storage of waste in secure containers
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Spreading of plant matter to confer benefit



ID	Location	Site	Reference	Category	Sub-Category	Description
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Incorporation of ash into soil
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Storing waste exemption	On a farm	Storage of waste in a secure place
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX169532	Using waste exemption	On a farm	Use of waste in construction
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Incorporation of ash into soil
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Storing waste exemption	On a farm	Storage of waste in a secure place
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Storing waste exemption	On a farm	Storage of waste in secure containers
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Use of waste in construction
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX286808	Using waste exemption	On a farm	Use of waste in construction
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Disposing of waste exemption	On a farm	Burning waste in the open
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Use of depolluted end-of-life vehicles for vehicle parts
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Use of mulch
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit



ID	Location	Site	Reference	Category	Sub-Category	Description
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX302966	Using waste exemption	On a farm	Use of waste to manufacture finished goods
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX286808	Disposing of waste exemption	On a farm	Burning waste in the open
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX286808	Treating waste exemption	On a farm	Recovery of scrap metal
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX286808	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX415715	Disposing of waste exemption	On a farm	Burning waste in the open
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX415715	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX415715	Treating waste exemption	On a farm	Recovery of scrap metal
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX415715	Using waste exemption	On a farm	Use of waste in construction
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Treating waste exemption	On a farm	Recovery of scrap metal
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Disposing of waste exemption	On a farm	Burning waste in the open
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Treating waste exemption	On a farm	Treatment of waste in a biobed or biofilter
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Use of mulch
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Storing waste exemption	On a farm	Storage of waste in secure containers
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Use of waste in construction



ID	Location	Site	Reference	Category	Sub-Category	Description
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Storing waste exemption	On a farm	Storage of waste in a secure place
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Pig and poultry ash
E	109m NW	Tothby Manor, Tothby, Alford, Ln13 0ep	WEX008792	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
E	115m NW	-	WEX432705	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Use of waste in construction
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
E	115m NW	-	WEX432705	Disposing of waste exemption	On a farm	Burning waste in the open
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Use of waste for a specified purpose
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Use of mulch
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
E	115m NW	-	WEX432705	Using waste exemption	On a farm	Incorporation of ash into soil
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice



ID	Location	Site	Reference	Category	Sub-Category	Description
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Disposal by incineration
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Burning waste in the open
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Recovery of scrap metal
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading waste on agricultural land to confer benefit
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste to manufacture finished goods
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Disposal by incineration
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Burning waste in the open
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Sorting mixed waste
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Screening and blending of waste



ID	Location	Site	Reference	Category	Sub-Category	Description
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Recovery of scrap metal
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading waste on agricultural land to confer benefit
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of mulch
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste to manufacture finished goods
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of mulch
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in secure containers
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in a secure place
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Preparatory treatments (baling, sorting, shredding etc)
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising



ID	Location	Site	Reference	Category	Sub-Category	Description
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste in construction
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading of plant matter to confer benefit
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Incorporation of ash into soil
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Burning of waste as a fuel in a small appliance
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste for a specified purpose
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Using waste exemption	Agricultural waste only	Pig and poultry ash
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/YH0274P D/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Deposit of waste from dredging of inland waters
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in secure containers



ID	Location	Site	Reference	Category	Sub-Category	Description
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in a secure place
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Preparatory treatments (baling, sorting, shredding etc)
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste in construction
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading of plant matter to confer benefit
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Incorporation of ash into soil
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of baled end-of-life tyres in construction
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Burning of waste as a fuel in a small appliance
E	116m NW	Tothby Manor Alford Lincolnshire Ln13 0ep	EPR/AH0572B K/A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste for a specified purpose



ID	Location	Site	Reference	Category	Sub-Category	Description
F	118m NW	Willow Farm Alford Lincolnshire Ln13 9qr	EPR/DF0735ZZ /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Deposit of waste from dredging of inland waters
F	118m NW	Willow Farm Alford Lincolnshire Ln13 9qr	EPR/DF0735ZZ /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste in construction
F	118m NW	Willow Farm Alford Lincolnshire Ln13 9qr	EPR/DF0735ZZ /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste for a specified purpose
F	118m NW	Willow Farm Alford Lincolnshire Ln13 9qr	EPR/DF0735ZZ /A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
F	118m NW	Willow Farm Alford Lincolnshire Ln13 9qr	EPR/DF0735ZZ /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Burning waste in the open
5	130m SE	Watership Farm Station Road Alford Lincolnshire Ln13 9hy	EPR/ME5888JJ /A001	Disposing of waste exemption	Non- agricultural waste only	Burning waste in the open
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Storing waste exemption	On a farm	Storage of waste in secure containers
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Using waste exemption	On a farm	Use of waste in construction
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Using waste exemption	On a farm	Use of waste for a specified purpose
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice



ID	Location	Site	Reference	Category	Sub-Category	Description
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX223132	Disposing of waste exemption	On a farm	Burning waste in the open
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Disposing of waste exemption	On a farm	Burning waste in the open
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Storing waste exemption	On a farm	Storage of waste in secure containers
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Using waste exemption	On a farm	Use of waste in construction
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX076701	Using waste exemption	On a farm	Use of waste for a specified purpose
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Storing waste exemption	On a farm	Storage of waste in secure containers
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Using waste exemption	On a farm	Use of waste in construction
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Using waste exemption	On a farm	Use of waste for a specified purpose
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX299531	Disposing of waste exemption	On a farm	Burning waste in the open



ID	Location	Site	Reference	Category	Sub-Category	Description
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Storing waste exemption	On a farm	Storage of waste in secure containers
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Using waste exemption	On a farm	Use of waste for a specified purpose
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Using waste exemption	On a farm	Use of waste in construction
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX315236	Using waste exemption	On a farm	Use of waste in construction
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Disposing of waste exemption	On a farm	Burning waste in the open
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
G	160m NW	Willow Farm, Asserby, Alford, Ln13 9qr	WEX351977	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
H	208m W	White House Farm, Asserby, Alford, Ln13 9qr	WEX087095	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
H	208m W	White House Farm, Asserby, Alford, Ln13 9qr	WEX087095	Using waste exemption	On a farm	Use of waste for a specified purpose
H	208m W	White House Farm, Asserby, Alford, Ln13 9qr	WEX087095	Disposing of waste exemption	On a farm	Burning waste in the open
H	208m W	White House Farm, Asserby, Alford, Ln13 9qr	WEX087095	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit



ID	Location	Site	Reference	Category	Sub-Category	Description
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Using waste exemption	Agricultural waste only	Use of waste in construction
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Using waste exemption	Agricultural waste only	Spreading of plant matter to confer benefit
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Using waste exemption	Agricultural waste only	Incorporation of ash into soil
I	218m SE	The Grange Sutton Road Alford Lincolnshire Ln13 9rl	EPR/AH0072S E/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Disposing of waste exemption	On a farm	Burning waste in the open
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Using waste exemption	On a farm	Use of waste in construction
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Using waste exemption	On a farm	Incorporation of ash into soil
I	233m SE	The Grange, Sutton Road, Huttoft, Alford, Ln13 9rl	WEX011045	Using waste exemption	On a farm	Use of waste for a specified purpose
7	250m S	-	WEX248342	Using waste exemption	On a farm	Use of waste in construction
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters



ID	Location	Site	Reference	Category	Sub-Category	Description
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Using waste exemption	On a farm	Incorporation of ash into soil
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX181722	Using waste exemption	On a farm	Use of mulch
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX016144	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX016144	Using waste exemption	On a farm	Use of mulch
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX016144	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX016144	Using waste exemption	On a farm	Incorporation of ash into soil
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX016144	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX312153	Using waste exemption	On a farm	Use of waste in construction
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Using waste exemption	On a farm	Incorporation of ash into soil



ID	Location	Site	Reference	Category	Sub-Category	Description
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
J	252m N	Yarlsgate Farm, Huttoft Road, Sutton-On-Sea, Mablethorpe, Ln12 2ru	WEX318069	Using waste exemption	On a farm	Use of mulch
8	277m SE	The Old Station Building, Station Road, Alford, Ln13 9ja	WEX030418	Storing waste exemption	Not on a farm	Storage of waste in secure containers
K	277m NW	Ivy House, Sutton Road, Bilsby, Alford, Ln13 9qs	WEX134018	Using waste exemption	On a farm	Use of waste for a specified purpose
K	277m NW	Ivy House, Sutton Road, Bilsby, Alford, Ln13 9qs	WEX134018	Using waste exemption	On a farm	Use of waste in construction
K	277m NW	Ivy House, Sutton Road, Bilsby, Alford, Ln13 9qs	WEX134018	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
K	285m NW	1 Furze Hill Cottages, Sutton Road, Bilsby, Alford, Ln13 9qs	WEX149005	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
K	293m NW	-	WEX413730	Using waste exemption	On a farm	Use of waste in construction
K	293m NW	-	WEX281802	Using waste exemption	On a farm	Use of waste in construction
K	293m NW	-	WEX311616	Using waste exemption	On a farm	Use of waste in construction
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Disposing of waste exemption	Agricultural waste only	Disposal by incineration
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Using waste exemption	Agricultural waste only	Use of mulch



ID	Location	Site	Reference	Category	Sub-Category	Description
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Treating waste exemption	Agricultural waste only	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Using waste exemption	Agricultural waste only	Spreading of plant matter to confer benefit
J	302m N	Yarlsgate Farm Huttoft Road Mablethorpe Lincolnshire Ln12 2ru	EPR/PH0871BL /A001	Using waste exemption	Agricultural waste only	Burning of waste as a fuel in a small appliance
L	314m W	Manderly Farm Hillrow Causeway Ely Cambridgeshire Cb6 3pa	EPR/RF0134LQ /A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Deposit of waste from dredging of inland waters
L	314m W	Manderly Farm Hillrow Causeway Ely Cambridgeshire Cb6 3pa	EPR/RF0134LQ /A001	Treating waste exemption	Both agricultural and non-agricultural waste	Cleaning, washing, spraying or coating relevant waste
L	314m W	Manderly Farm Hillrow Causeway Ely Cambridgeshire Cb6 3pa	EPR/RF0134LQ /A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste in construction
L	314m W	Manderly Farm Hillrow Causeway Ely Cambridgeshire Cb6 3pa	EPR/RF0134LQ /A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Burning waste in the open
L	314m W	Manderly Farm Hillrow Causeway Ely Cambridgeshire Cb6 3pa	EPR/RF0134LQ /A001	Using waste exemption	Both agricultural and non-agricultural waste	Spreading waste on agricultural land to confer benefit
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Deposit of waste from dredging of inland waters



ID	Location	Site	Reference	Category	Sub-Category	Description
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste in construction
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading of plant matter to confer benefit
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste for a specified purpose
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Burning waste in the open
K	322m NW	Ivy House Sutton Road Alford Lincolnshire Ln13 9qs	EPR/VF0702GL /A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading waste on agricultural land to confer benefit
M	335m NE	-	WEX153935	Disposing of waste exemption	On a farm	Burning waste in the open
M	335m NE	-	WEX291961	Disposing of waste exemption	On a farm	Burning waste in the open
M	335m NE	-	WEX291961	Using waste exemption	On a farm	Use of waste for a specified purpose
M	335m NE	-	WEX291961	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
M	335m NE	-	WEX291961	Using waste exemption	On a farm	Use of waste in construction
M	335m NE	-	WEX153935	Using waste exemption	On a farm	Use of waste in construction
9	373m W	-	WEX248377	Using waste exemption	On a farm	Use of waste in construction



ID	Location	Site	Reference	Category	Sub-Category	Description
10	378m SE	-	WEX266868	Treating waste exemption	Not on a farm	Recovery of textiles
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Disposal by incineration
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Storing waste exemption	Agricultural waste only	Storage of waste in a secure place
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Using waste exemption	Agricultural waste only	Spreading of plant matter to confer benefit
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste in construction
N	397m SE	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/MF0437J M/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Pig and poultry ash
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Storing waste exemption	On a farm	Storage of waste in a secure place
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters



ID	Location	Site	Reference	Category	Sub-Category	Description
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Use of waste in construction
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Disposing of waste exemption	On a farm	Burning waste in the open
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Use of waste for a specified purpose
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
O	406m E	Greenacres Farm, Sutton Road, Huttoft, Alford, Ln13 9rh	WEX438603	Using waste exemption	On a farm	Incorporation of ash into soil
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Using waste exemption	Agricultural waste only	Use of waste in construction
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Using waste exemption	Agricultural waste only	Spreading of plant matter to confer benefit
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Using waste exemption	Agricultural waste only	Incorporation of ash into soil



ID	Location	Site	Reference	Category	Sub-Category	Description
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
P	409m SE	Greenacres Farm Sutton Road Alford Lincolnshire Ln13 9rh	EPR/VH0779S V/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Treating waste exemption	Agricultural waste only	Cleaning, washing, spraying or coating relevant waste
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Using waste exemption	Agricultural waste only	Incorporation of ash into soil
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste in construction
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
N	411m E	Grove Farm Alford Lincolnshire Ln13 9jl	EPR/ME5680P K/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX081344	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX081344	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX226848	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX226848	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice



ID	Location	Site	Reference	Category	Sub-Category	Description
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX226848	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX226848	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX226848	Storing waste exemption	On a farm	Storage of waste in a secure place
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX081344	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX081344	Storing waste exemption	On a farm	Storage of waste in a secure place
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX081344	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Disposing of waste exemption	On a farm	Burning waste in the open
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Storing waste exemption	On a farm	Storage of waste in secure containers
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Storing waste exemption	On a farm	Storage of waste in a secure place
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Using waste exemption	On a farm	Use of waste in construction
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX104234	Using waste exemption	On a farm	Use of waste for a specified purpose
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX352429	Storing waste exemption	On a farm	Storage of waste in a secure place



ID	Location	Site	Reference	Category	Sub-Category	Description
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX352429	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX352429	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX352429	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
N	412m E	Grove Farm, Thurlby, Alford, Ln13 9jl	WEX352429	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
13	417m SE	Alford Storage & Textile Company Ltd, Beechings Way, Beechings Way Industrial Estate, Alford, Ln13 9je	WEX127039	Treating waste exemption	Not on a farm	Recovery of textiles
14	424m S	-	WEX247669	Using waste exemption	Not on a farm	Use of waste in construction
15	455m SW	Jorich Farm, Back Lane, Bilsby, Alford, Ln13 9pt	WEX443634	Using waste exemption	On a farm	Use of waste in construction

This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



Site Outline

Search buffers in metres (m)

- Recent industrial land uses
- NGD current or recent tanks
- ▲ Current or recent petrol stations
- ◊ Part A(1) industrial activities
- ◆ Licensed pollutant release (Part A(2)/B)
- Licensed Discharges to controlled waters
- Pollutant release to public sewer
- List 2 Dangerous Substances
- Pollution Incidents (EA/NRW)
- Pollution inventory substances

4.1 Recent industrial land uses

Records within 250m **33**

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Company	Address	Activity	Category
6	29m SW	Electricity Sub Station	Lincolnshire, LN13	Electrical Features	Infrastructure and Facilities
7	35m W	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
A	37m S	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
A	45m S	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming



ID	Location	Company	Address	Activity	Category
13	52m SE	Farmer Browns Ice Cream & Coffee Shop	Woodrow Farm, Sutton Road, Huttoft, Lincolnshire, LN13 9RL	Dairy Products	Foodstuffs
B	55m SW	Parkview Vehicles Ltd	Bilsby Garage, Alford Road, Bilsby, Lincolnshire, LN13 9PY	Vehicle Repair, Testing and Servicing	Repair and Servicing
15	58m E	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
B	62m S	Bilsby Filling Station and Village Shop	Alford Road, Bilsby, Alford, Lincolnshire, LN13 9PY	Petrol and Fuel Stations	Road and Rail
B	62m S	Bilsby Filling Station and Village Shop	Alford Road, Bilsby, Alford, Lincolnshire, LN13 9PY	Vehicle Cleaning Services	Personal, Consumer and Other Services
C	73m E	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	76m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
21	83m S	Electricity Sub Station	Lincolnshire, LN13	Electrical Features	Infrastructure and Facilities
D	83m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
C	83m E	Poultry Shed	Lincolnshire, LN13	Poultry Farming, Equipment and Supplies	Farming
D	93m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	98m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	108m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	110m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	110m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
23	111m SE	Electricity Sub Station	Lincolnshire, LN13	Electrical Features	Infrastructure and Facilities
D	112m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
D	114m NW	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
27	125m NE	R S G Motors Ltd	The Depot, Station Road, Alford, Lincolnshire, LN13 9JB	Secondhand Vehicles	Motoring
F	150m E	Moorings	Lincolnshire, LN13	Moorings and Unloading Facilities	Water



ID	Location	Company	Address	Activity	Category
G	178m SE	Hunt's Coaches	33, Station Road, Alford, Lincolnshire, LN13 9JB	Vehicle Hire and Rental	Hire Services
I	181m SE	Pumping Station	Lincolnshire, LN13	Water Pumping Stations	Industrial Features
I	181m SE	Sewage Pumping Station	Lincolnshire, LN13	Waste Storage, Processing and Disposal	Infrastructure and Facilities
G	196m SE	West End Filling Station	33a, Station Road, Alford, Lincolnshire, LN13 9JB	Petrol and Fuel Stations	Road and Rail
H	206m N	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
H	214m N	Silo	Lincolnshire, LN13	Hoppers and Silos	Farming
30	215m SE	Electricity Sub Station	Lincolnshire, LN13	Electrical Features	Infrastructure and Facilities
I	229m SE	Gas Governor Station	Lincolnshire, LN13	Gas Features	Infrastructure and Facilities
31	247m SE	Electricity Sub Station	Lincolnshire, LN13	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.

4.2 National Geographic Database (NGD) - Current or recent tanks

Records within 250m

5

Current or recent tanks identified from the Ordnance Survey NGD.

Features are displayed on the Current industrial land use map on [page 55](#) >

ID	Location	Tank description	Activity	Date first identified
10	47m W	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	25/03/2017
19	73m NE	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	17/10/2010
22	102m SW	Open Storage Tank	Commercial Activity: Distribution Or Storage	04/04/2003
D	114m NW	Open Storage Tank	Commercial Activity: Distribution Or Storage	03/08/2014
25	120m SE	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	21/04/2022

This data is sourced from Ordnance Survey.



4.3 Current or recent petrol stations

Records within 500m

3

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on [page 55](#) >

ID	Location	Company	Address	LPG	Status
B	54m S	TOTAL ENERGIES	Alford Road, Bilsby, Alford, Lincolnshire, LN13 9PY	No	Open
G	191m SE	HT	33A, Station Road, Alford, Lincolnshire, LN13 9JB	No	Open
35	355m SE	WCF	East Street, Alford, Lincolnshire, LN13 9EH	No	Open

This data is sourced from Experian.

4.4 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.5 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.6 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.



4.7 Control of Major Accident Hazards (COMAH)

Records within 500m 0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.8 Regulated explosive sites

Records within 500m 0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.9 Hazardous substance storage/usage

Records within 500m 0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.10 Historical licensed industrial activities (IPC)

Records within 500m 0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed industrial activities (Part A(1))

Records within 500m 2

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 55 >](#)



ID	Location	Details	
K	233m W	Operator: L.J. Fairburn and Son Limited Installation Name: Crawcroft Farm EPR/QP3732JL Process: INTENSIVE FARMING; > 40,000 POULTRY Permit Number: QP3732JL Original Permit Number: QP3732JL	EPR Reference: EPR/QP3732JL Issue Date: 14/09/2018 Effective Date: 14/09/2018 Last date noted as effective: 28/04/2025 Status: Effective
38	372m S	Operator: L.J. Fairburn and Son Limited Installation Name: Thurlby Farm Process: INTENSIVE FARMING; > 40,000 POULTRY Permit Number: TP3221SS Original Permit Number: TP3221SS	EPR Reference: EPR/TP3221SS Issue Date: 23/10/2024 Effective Date: 16/10/2024 Last date noted as effective: 28/04/2025 Status: Effective

This data is sourced from the Environment Agency and Natural Resources Wales.

4.12 Licensed pollutant release (Part A(2)/B)

Records within 500m

3

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Address	Details	
16	62m NE	Alford Crematorium, Elsom Farm, Bonthorpe, Alford, LN13 9TD	Process: Crematoria Processes Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
I	277m SE	John White (Alford) Printers, Station Road, Alford, LN13 9JA	Process: Printing Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
40	455m SE	Cemex, Red Lion Works, Alford, Lincolnshire, LN13 9EF	Process: Use of Bulk Cement Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.



4.13 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Licensed Discharges to controlled waters

Records within 500m

33

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Address	Details	
1	On site	NORTH VILLA, SUTTON ROAD, HUTTOFT, ALFORD, LINCS	Effluent Type: UNSPECIFIED Permit Number: PR3LFU1289 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 24/06/1983 Effective Date: 24/06/1983 Revocation Date: 01/10/1996
2	On site	DRYBY FARM, BILSBY, ALFORD, LINCS	Effluent Type: UNSPECIFIED Permit Number: PR3LFU1354 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 23/03/1984 Effective Date: 23/03/1984 Revocation Date: 01/10/1996
3	On site	THE BUNGALOWS, BANK FARM, HUTTOFT BANK, ALFORD, LINCOLNSHIRE, LN13 9RT	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRWB3391RT Permit Version: 1 Receiving Water: DRAIN WITHIN LINDSEY MARSH IDB	Status: NEW ISSUED UNDER EPR 2010 Issue date: 20/04/2022 Effective Date: 20/04/2022 Revocation Date: -
8	40m SW	LARKSPUR COTTAGE, HUTTOFT ROAD, THURLBY, ALFORD, LINCOLNSHIRE, LN13 9JW	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPREB3291VW Permit Version: 1 Receiving Water: GROUNDWATER	Status: NEW ISSUED UNDER EPR 2010 Issue date: 18/05/2016 Effective Date: 18/05/2016 Revocation Date: -



ID	Location	Address	Details	
9	43m N	GLEBE COTTAGE, THE LANE, THORESTHORPE, ALFORD, LINCS, LN13 0JG	Effluent Type: UNSPECIFIED Permit Number: PR3LF400 Permit Version: 1 Receiving Water: Into land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 15/05/1987 Effective Date: 15/05/1987 Revocation Date: 01/10/1996
11	50m N	SUTTON ROAD, ASSERBY, NR ALFORD	Effluent Type: UNSPECIFIED Permit Number: PRNLF02311 Permit Version: 1 Receiving Water: land	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: 20/02/1990 Effective Date: 20/02/1990 Revocation Date: 01/10/1996
12	52m SE	STATION ROAD, ALFORD, LINCS, LINCS, LN13 9NA	Effluent Type: UNSPECIFIED Permit Number: PR3LFU214 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 28/07/1966 Effective Date: 28/07/1966 Revocation Date: 01/10/1996
14	54m N	COLLEGE FARM, THORESTHORPE, ALFORD, LINCS, LN13 0HX	Effluent Type: UNSPECIFIED Permit Number: PR3LFU477 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 17/09/1970 Effective Date: 17/09/1970 Revocation Date: 01/10/1996
17	63m SE	TWO WAYS, SUTTON ROAD, BILSBY, ALFORD, LN13 9PX	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRTB3695VP Permit Version: 1 Receiving Water: TRIB OF WOLD GRIFT DRAIN	Status: NEW ISSUED UNDER EPR 2010 Issue date: 05/03/2021 Effective Date: 05/03/2021 Revocation Date: -
18	69m NW	THE OLD BARN HOLIDAY COTTAGE, ALFORD ROAD, THORESTHORPE, ALFORD, LINCS, LN13 0HU	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PRNNF18336 Permit Version: 1 Receiving Water: UNNAMED WATERCOURSE	Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 21/04/2005 Effective Date: 16/03/2005 Revocation Date: -
24	119m NE	BRAY COTTAGE, ASSERBY, ALFORD, LN13 9QR	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRYB3590AD Permit Version: 1 Receiving Water: WOLD GRIFT DRAIN	Status: NEW ISSUED UNDER EPR 2010 Issue date: 27/06/2022 Effective Date: 27/06/2022 Revocation Date: -



ID	Location	Address	Details	
26	124m S	HOLY TRINITY CHURCH, ALFORD ROAD, BILSBY, LINCOLNSHIRE, LN13 9PY	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRBB3497WG Permit Version: 1 Receiving Water: GROUNDWATER VIA A TRENCH ARCH	Status: NEW ISSUED UNDER EPR 2010 Issue date: 14/11/2014 Effective Date: 14/11/2014 Revocation Date: -
28	132m SW	THE CARAVAN, JOLLY COMMON LANE, HUTTOFT, LINCOLNSHIRE	Effluent Type: UNSPECIFIED Permit Number: PRNLF01697 Permit Version: 1 Receiving Water: land	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: 25/09/1989 Effective Date: 25/09/1989 Revocation Date: 01/10/1996
29	138m SE	THE COTTAGE, SUTTON ROAD, SUTTON ROAD, HUTTOFT, LINCOLNSHIRE, LN13 9RH	Effluent Type: UNSPECIFIED Permit Number: PR3LF241 Permit Version: 1 Receiving Water: land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 20/06/1986 Effective Date: 20/06/1986 Revocation Date: 23/04/1997
E	140m SE	TOTHBY LANE, ALFORD, LINCS	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LF268 Permit Version: 1 Receiving Water: Into Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 05/09/1986 Effective Date: 05/09/1986 Revocation Date: 13/12/2011
E	140m SE	TOTHBY LANE, ALFORD, LINCS	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LF268 Permit Version: 2 Receiving Water: Into Land	Status: VARIED UNDER EPR 2010 Issue date: 14/12/2011 Effective Date: 14/12/2011 Revocation Date: -
F	155m E	18 SEA LANE, HUTTOFT, ALFORD, LINCS, LN13 9RR	Effluent Type: UNSPECIFIED Permit Number: PRNLF00941 Permit Version: 1 Receiving Water: land	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: 31/05/1989 Effective Date: 31/05/1989 Revocation Date: 01/10/1996
H	166m W	PART OS NO3362 WHITE HOUSE FARM, ASSERBY, ALFORD, LINCS, LN13 9QR	Effluent Type: UNSPECIFIED Permit Number: PR3LFU1295 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 24/06/1983 Effective Date: 24/06/1983 Revocation Date: 01/10/1996



ID	Location	Address	Details	
J	213m N	WOLD VIEW, HUTTOFT BANK, HUTTOFT, ALFORD, LINCOLNSHIRE, LN13 9RT	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRWB3291EA Permit Version: 1 Receiving Water: TRIB OF DRAIN IN LINDSAY IDB	Status: NEW ISSUED UNDER EPR 2010 Issue date: 07/04/2022 Effective Date: 07/04/2022 Revocation Date: -
J	213m N	THE RANCH HOUSE STP, HUTTOFT BANK, HUTTOFT, ALFORD, LN13 9RT	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRWB3292AV Permit Version: 1 Receiving Water: DITCH TRIBUTARY OF MAIN DRAIN	Status: NEW ISSUED UNDER EPR 2010 Issue date: 11/04/2022 Effective Date: 11/04/2022 Revocation Date: -
32	266m W	OAKWELL FARM, SEA LANE, HUTTOFT, ALFORD, LINCOLNSHIRE, LN13 9RN	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRQB3799VG Permit Version: 1 Receiving Water: TRIBUTARY OF MAIN DRAIN	Status: NEW ISSUED UNDER EPR 2010 Issue date: 25/03/2020 Effective Date: 25/03/2020 Revocation Date: -
34	303m N	YARLESGATE FARM, SUTTON-ON-SEA, LINCS, LN12 2RU	Effluent Type: UNSPECIFIED Permit Number: PR3LFU1359 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 13/04/1984 Effective Date: 13/04/1984 Revocation Date: 01/10/1996
36	363m NE	BOATSHED CAFE STP, HUTTOFT BOATSHED, SEA LANE, HUTTOFT, LINCOLNSHIRE, LN13 9RR	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRRP3723SN Permit Version: 1 Receiving Water: LINDSEY MARSH IDB DISTRICT	Status: NEW ISSUED UNDER EPR 2010 Issue date: 20/12/2024 Effective Date: 20/12/2024 Revocation Date: -
37	369m S	MANOR FARM, ANDERBY, SKEGNESS, LINCS, PE24 5YB	Effluent Type: UNSPECIFIED Permit Number: PR3LFU1296 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 24/06/1983 Effective Date: 24/06/1983 Revocation Date: 01/10/1996
39	432m S	THURLBY MEADOW FARM, HUTTOFT ROAD, THURLBY, ALFORD, LN13 9JW	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRFB3692RP Permit Version: 1 Receiving Water: GROUNDWATER	Status: NEW ISSUED UNDER EPR 2010 Issue date: 09/02/2017 Effective Date: 09/02/2017 Revocation Date: -



ID	Location	Address	Details	
M	456m SE	WOODBINE FARM, CHAPEL LANE, HUTTOFT, LINCS, LN13 9RG	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LFU1381 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 30/07/1984 Effective Date: 30/07/1984 Revocation Date: 13/12/2011
M	456m SE	WOODBINE FARM, CHAPEL LANE, HUTTOFT, LINCS, LN13 9RG	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LFU1381 Permit Version: 2 Receiving Water: Land	Status: VARIED UNDER EPR 2010 Issue date: 14/12/2011 Effective Date: 14/12/2011 Revocation Date: -
41	459m S	OCCUPATION LANE, ANDERBY CREEK, NR CHAPEL ST LEONARDS	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PRNNF02335 Permit Version: 1 Receiving Water: Anderby Main Drain	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: 30/05/1990 Effective Date: 30/05/1990 Revocation Date: 21/02/1992
42	476m E	GROVE GABLES, THURLBY, BILSBY, ALFORD, LINCS, LN13 9JL	Effluent Type: UNSPECIFIED Permit Number: PR3LF683 Permit Version: 1 Receiving Water: Into Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 29/06/1988 Effective Date: 29/06/1988 Revocation Date: 14/05/1997
N	481m S	HOMELANDS PLOT 6, SEA LANE, ANDERBY, SKEGNESS, LINCS, PE24 5YB	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LFU1116 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 24/07/1980 Effective Date: 24/07/1980 Revocation Date: 13/12/2011
N	481m S	HOMELANDS PLOT 6, SEA LANE, ANDERBY, SKEGNESS, LINCS, PE24 5YB	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: PR3LFU1116 Permit Version: 2 Receiving Water: Land	Status: VARIED UNDER EPR 2010 Issue date: 14/12/2011 Effective Date: 14/12/2011 Revocation Date: -
O	484m SW	BACK LANE BILSBY, BACK LANE, BILSBY, ALFORD, LN13 9PT	Effluent Type: MISCELLANEOUS DISCHARGES - EMERGENCY DISCHARGES Permit Number: ANNNF2116 Permit Version: 1 Receiving Water: unnamed dyke Boygrift Drain	Status: POST NRA LEGISLATION WHERE ISSUE DATE > 31-AUG-89 (HISTORIC ONLY) Issue date: 02/01/1990 Effective Date: 02/01/1990 Revocation Date: 07/04/2000



ID	Location	Address	Details	
O	497m SW	BILSBY VILLAGE EO, LINCOLNSHIRE, LN13 9PT	Effluent Type: SEWAGE DISCHARGES - PUMPING STATION - WATER COMPANY Permit Number: AW3NFF1233 Permit Version: 1 Receiving Water: Unknown Trib.	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 12/05/1980 Effective Date: 12/05/1980 Revocation Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 Pollutant release to public sewer

Records within 500m

2

Discharges of Special Category Effluents to the public sewer.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Address	Details	
L	439m S	FINNVEDEN POWERTRAIN COMPONENTS LTD, 33 WEST STREET, 33 WEST STREET, ALFORD, LINCOLNSHIRE, LN13 9DQ	Permission reference: BC1479 Local Authority: EAST LINDSEY DISTRICT COUNCIL First received date: 01/06/2001	Last received date: 01/01/2018 Status: EFFECTIVE
L	439m S	FINNVEDEN POWERTRAIN COMPONENTS LTD, 33 WEST STREET, 33 WEST STREET, ALFORD, LINCOLNSHIRE, LN13 9DQ	Permission reference: BK1635 Local Authority: EAST LINDSEY DISTRICT COUNCIL First received date: 01/06/2001	Last received date: 01/01/2018 Status: DEAD (POST DETERMINATION)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 1 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.18 List 2 Dangerous Substances

Records within 500m
3

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Name	Status	Receiving Water	Authorised Substances
G	150m SE	F Hunt Coach Hire Ltd	Not Active	Na	pH
I	261m SE	Mono-poly Printers Limited	Active	Na	Copper, pH, Zinc
L	424m S	Hole In The Wall	Not Active	Na	pH

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution Incidents (EA/NRW)

Records within 500m
6

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID	Location	Details	
4	On site	Incident Date: 09/08/2001 Incident Identification: 22957 Pollutant: Agricultural Materials and Wastes Pollutant Description: Solid Manure	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
5	On site	Incident Date: 28/06/2002 Incident Identification: 90081 Pollutant: Specific Waste Materials Pollutant Description: Household Waste	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)
20	77m NE	Incident Date: 12/09/2022 Incident Identification: 2099211 Pollutant: General Biodegradable Materials and Wastes Pollutant Description: Algae	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
33	295m SE	Incident Date: 21/11/2007 Incident Identification: 547871 Pollutant: Pollutant Not Identified Pollutant Description: Not Identified	Water Impact: Category 3 (Minor) Land Impact: Category 3 (Minor) Air Impact: Category 2 (Significant)



ID	Location	Details	
43	482m S	Incident Date: 07/05/2003 Incident Identification: 156434 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
44	494m E	Incident Date: 11/04/2003 Incident Identification: 150321 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.20 Pollution inventory substances

Records within 500m	4
----------------------------	----------

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

Features are displayed on the Current industrial land use map on [page 55 >](#)

ID: K, Location: 233m W, Permit: QP3732JL
 Operator: L.J. Fairburn and Son Limited
 Activity: INTENSIVE FARMING; > 40,000 POULTRY
 Address: Crawcroft Farm Crawcroft Lane Alford Lincolnshire LN13 9QP
 Sector: Agriculture, Sub-sector: Intensive Farming
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Nitrogen oxides (NO and NO2) as NO2	100000kg	Below Reporting Threshold

ID: K, Location: 233m W, Permit: QP3732JL
 Operator: L.J. Fairburn and Son Limited
 Activity: INTENSIVE FARMING; > 40,000 POULTRY
 Address: Crawcroft Farm Crawcroft Lane Alford Lincolnshire LN13 9QP
 Sector: Agriculture, Sub-sector: Intensive Farming
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Ammonia	1000kg	3491kg



ID: K, Location: 233m W, Permit: QP3732JL
 Operator: L.J. Fairburn and Son Limited
 Activity: INTENSIVE FARMING; > 40,000 POULTRY
 Address: Crawcroft Farm Crawcroft Lane Alford Lincolnshire LN13 9QP
 Sector: Agriculture, Sub-sector: Intensive Farming
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Particulate matter - PM10	1000kg	1454kg

ID: K, Location: 233m W, Permit: QP3732JL
 Operator: L.J. Fairburn and Son Limited
 Activity: INTENSIVE FARMING; > 40,000 POULTRY
 Address: Crawcroft Farm Crawcroft Lane Alford Lincolnshire LN13 9QP
 Sector: Agriculture, Sub-sector: Intensive Farming
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Methane	10000kg	3403kg

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory waste transfers

Records within 500m	0
----------------------------	----------

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



4.22 Pollution inventory radioactive waste

Records within 500m	0
----------------------------	----------

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

5 Hydrogeology - Superficial aquifer



5.1 Superficial aquifer

Records within 500m

24

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on [page 70 >](#)

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

ID	Location	Designation	Description
3	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
4	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
6	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
7	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
8	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
9	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
10	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
11	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
12	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
13	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
14	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
15	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
16	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow




ID	Location	Designation	Description
17	51m NE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
18	80m N	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
19	120m NW	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
20	130m N	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
21	155m S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
22	407m NW	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
23	417m SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
24	436m S	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



5.2 Bedrock aquifer

Records within 500m

5

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on [page 73 >](#)

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
2	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers





ID	Location	Designation	Description
3	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
4	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
5	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

60

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 75 >](#)

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
2	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
3	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
4	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
5	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
6	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
7	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
8	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
9	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
10	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
11	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
12	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
13	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
14	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
15	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
16	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
17	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: 3-10m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
18	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: 3-10m Patchiness value: <90% Recharge potential: Low	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
19	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
20	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
21	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
22	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
23	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
24	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
25	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
26	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
27	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
28	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
29	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
30	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
31	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
32	On site	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
33	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
34	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
35	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: No Data Infiltration value: No Data% Dilution value: No Datamm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Principal Flow mechanism: Well connected fractures
36	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
37	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
38	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
39	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
40	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
41	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
42	On site	Summary Classification: Principal bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
43	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40- 70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
44	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40- 70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
45	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40- 70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
46	On site	Summary Classification: Principal bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures
47	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40- 70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
48	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
49	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
50	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
51	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40- 70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
52	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
53	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
54	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
55	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
56	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
57	On site	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
60	34m SE	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
61	37m NW	Summary Classification: Secondary superficial aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
62	46m N	Summary Classification: Principal bedrock aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Unproductive Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: <300mm/year	Vulnerability: Unproductive Aquifer type: Unproductive Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



5.4 Groundwater vulnerability- soluble rock risk

Records on site	2
------------------------	----------

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
58	Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.	17.0%
59	Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.	87.0%

This data is sourced from the British Geological Survey and the Environment Agency.


5.5 Groundwater vulnerability- local information

Records on site	0
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



5.6 Groundwater abstractions

Records within 2000m

43

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 87 >](#)

ID	Location	Details	
1	On site	Status: Historical Licence No: 4/29/15/*G/0028 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WHITE BORE BILSBY (ASSERBY) Data Type: Point Name: WHITE Easting: 549500 Northing: 377500	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/12/1965 Version End Date: -
2	On site	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 4 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 551580 Northing: 378460	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
3	On site	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 6 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 550400 Northing: 377680	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
4	On site	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 7 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 551630 Northing: 378650	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
A	12m SE	Status: Active Licence No: 4/29/15/*G/0097 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BILSBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 548000 Northing: 376410	Annual Volume (m³): 800000 Max Daily Volume (m³): 3600 Original Application No: NPS/WR/023350 Original Start Date: 13/10/1982 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -



ID	Location	Details	
8	12m N	Status: Historical Licence No: 4/29/15/*G/0026 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WILKINSON BORE BILSBY(THURLBY) Data Type: Point Name: WILKINSON Easting: 548500 Northing: 376000	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
A	19m SE	Status: Historical Licence No: 4/29/15/*G/0097 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BILSBY PUMPING STATION Data Type: Point Name: ANGLIAN WATER SERVICES LTD Easting: 548000 Northing: 376400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/10/1982 Expiry Date: - Issue No: 100 Version Start Date: 01/08/1992 Version End Date: -
10	19m E	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 3 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 552500 Northing: 378980	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
11	20m N	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 1 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 550550 Northing: 377850	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
B	23m SE	Status: Active Licence No: 4/29/15/*G/0075 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: ALFORD PUMPING STATION BOREHOLE 2 Data Type: Point Name: Anglian Water Services Ltd Easting: 544070 Northing: 375080	Annual Volume (m ³): 400000 Max Daily Volume (m ³): 2000 Original Application No: NPS/WR/023349 Original Start Date: 01/04/1966 Expiry Date: - Issue No: 106 Version Start Date: 25/05/2017 Version End Date: -



ID	Location	Details	
12	24m SW	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 2 ASSERBY Data Type: Point Name: CHAPMAN Easting: 549900 Northing: 378020	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
13	28m E	Status: Historical Licence No: 4/29/15/*G/0033 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: CHAPMAN BORE 5 HUTTOFT Data Type: Point Name: CHAPMAN Easting: 551050 Northing: 377200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
14	67m E	Status: Historical Licence No: 4/29/15/*G/0026 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WILKINSON WELL BILSBY(THURLBY) Data Type: Point Name: WILKINSON Easting: 548600 Northing: 376200	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/1966 Version End Date: -
15	83m N	Status: Historical Licence No: 4/29/15/*G/0021 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: LAKE HOUSE BORE THORESTHORPE Data Type: Point Name: BARNES Easting: 545600 Northing: 377100	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/12/1965 Version End Date: -
D	96m SW	Status: Historical Licence No: 4/29/15/*G/0035 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BEAMOND BORE ASSERBY Data Type: Point Name: BEAMOND Easting: 548900 Northing: 377600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/03/1966 Version End Date: -



ID	Location	Details	
D	96m SW	Status: Historical Licence No: 4/29/15/*G/0035 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BEAMOND WELL ASSERBY Data Type: Point Name: BEAMOND Easting: 548900 Northing: 377600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/03/1966 Version End Date: -
16	108m N	Status: Historical Licence No: 4/29/15/*G/0007 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: TOTHBY MANOR BOREHOLE ALFORD Data Type: Point Name: WILLOUGHBY Easting: 544500 Northing: 376700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1965 Version End Date: -
17	381m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 6 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 554000 Northing: 378700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
C	420m S	Status: Active Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 1 THURLBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 550280 Northing: 376020	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: NPS/WR/023355 Original Start Date: 01/07/1977 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -
19	463m S	Status: Historical Licence No: 4/29/16/*G/0029 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: C.L.GOOD BOREHOLE HUTTOFT Data Type: Point Name: GOOD Easting: 550800 Northing: 376500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/01/1966 Version End Date: -



ID	Location	Details	
20	522m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 3 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553700 Northing: 378900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
22	541m N	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 8 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553800 Northing: 378900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
23	543m SE	Status: Historical Licence No: 4/29/15/*G/0078 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: MEAKER BOREHOLE HUTTOFT Data Type: Point Name: MEAKER Easting: 551800 Northing: 377500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/03/1966 Version End Date: -
E	556m S	Status: Active Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 2 THURLBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 550170 Northing: 375900	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: NPS/WR/023355 Original Start Date: 01/07/1977 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -
F	577m S	Status: Historical Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 2 THURLBY PUMPING STATION Data Type: Point Name: ANGLIAN WATER SERVICES LIMITED Easting: 550100 Northing: 375900	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: - Original Start Date: 01/07/1977 Expiry Date: - Issue No: 103 Version Start Date: 06/11/2014 Version End Date: -



ID	Location	Details	
G	617m S	Status: Active Licence No: 4/29/15/*G/0102 Details: Process Water Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WEST ST. FACTORY BORE ALFORD Data Type: Point Name: Safelincs Limited Easting: 545340 Northing: 375780	Annual Volume (m ³): 35175 Max Daily Volume (m ³): 112 Original Application No: NPS/WR/031140 Original Start Date: 01/09/1999 Expiry Date: - Issue No: 2 Version Start Date: 18/04/2019 Version End Date: -
G	617m S	Status: Historical Licence No: 4/29/15/*G/0076A Details: Process water Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WEST ST. FACTORY BORE ALFORD Data Type: Point Name: C S MARTIN (ALFORD) LTD Easting: 545340 Northing: 375780	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/10/1977 Expiry Date: - Issue No: 100 Version Start Date: 01/10/1995 Version End Date: -
24	650m N	Status: Historical Licence No: 4/29/15/*G/0028 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: WHITE WELL BILSBY (ASSERBY) Data Type: Point Name: WHITE Easting: 549300 Northing: 378300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/12/1965 Version End Date: -
25	714m N	Status: Historical Licence No: 4/29/15/*G/0036 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BROWN & SONS WELL AILBY Data Type: Point Name: R W BROWN & SONS Easting: 543800 Northing: 377000	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/01/1966 Version End Date: -
26	861m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 5 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553700 Northing: 379300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -



ID	Location	Details	
27	953m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 2 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553600 Northing: 379500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
28	1025m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 7 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553500 Northing: 379700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
29	1069m NE	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 4 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553300 Northing: 379900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -
30	1082m NW	Status: Historical Licence No: 4/29/15/*G/0027 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SARGISSON BORE SUTTON ON SEA Data Type: Point Name: SARGISSON Easting: 550900 Northing: 379800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/12/1965 Version End Date: -
31	1212m N	Status: Historical Licence No: 4/29/15/*G/0086 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: SANDILANDS GOLF CLUB BORE 1 Data Type: Point Name: SANDILANDS GOLF CLUB LTD Easting: 553200 Northing: 380100	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/02/1966 Version End Date: -



ID	Location	Details	
32	1268m SW	Status: Historical Licence No: 4/29/16/*G/0027 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: L.BRIGGS BOREHOLE ANDERBY Data Type: Point Name: BRIGGS Easting: 552700 Northing: 375500	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1965 Version End Date: -
H	1785m NW	Status: Historical Licence No: 4/29/15/*G/0093 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: PICKERING BOREHOLE GREENFIELD (CARSTONE) Data Type: Point Name: PICKERING Easting: 543200 Northing: 377900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/01/1973 Expiry Date: - Issue No: 100 Version Start Date: 01/01/1973 Version End Date: -
H	1785m NW	Status: Historical Licence No: 4/29/15/*G/0093 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: PICKERING BOREHOLE GREENFIELD (CHALK) Data Type: Point Name: PICKERING Easting: 543200 Northing: 377900	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/01/1973 Expiry Date: - Issue No: 100 Version Start Date: 01/01/1973 Version End Date: -
I	1909m N	Status: Historical Licence No: 4/29/15/*G/0008 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: MANOR FARM BORE BEESBY I.T.M (ROACH) Data Type: Point Name: G WHITE & SONS Easting: 546900 Northing: 379800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1965 Version End Date: -
I	1909m N	Status: Historical Licence No: 4/29/15/*G/0008 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: MANOR FARM BORE BEESBY I.T.M.(CHALK) Data Type: Point Name: G WHITE & SONS Easting: 546900 Northing: 379800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1965 Version End Date: -



ID	Location	Details	
I	1909m N	Status: Historical Licence No: 4/29/15/*G/0008 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: MANOR FARM BORE BEESBY I.T.M (CARSTONE) Data Type: Point Name: G WHITE & SONS Easting: 546900 Northing: 379800	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/11/1965 Expiry Date: - Issue No: 100 Version Start Date: 01/11/1965 Version End Date: -
33	1946m S	Status: Historical Licence No: 4/29/16/*G/0076 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT MANOR FARM, LANGHAM Data Type: Point Name: P C SHARPE & SONS Easting: 553210 Northing: 374580	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/06/1994 Expiry Date: - Issue No: 100 Version Start Date: 01/06/1994 Version End Date: -
34	1966m S	Status: Historical Licence No: 4/29/16/*G/0009 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: S.PAUL WELL LANGHAM (MUMBY) Data Type: Point Name: PAUL Easting: 553000 Northing: 374600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/03/1966 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

2

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 87 >](#)



ID	Location	Details	
18	402m N	Status: Historical Licence No: 4/30/07/*S/0009 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: WELTON B/BARLINGS EAU DUNHOLME 1 Data Type: Line Name: BLANKNEY ESTATES LTD Easting: 552000 Northing: 379400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/10/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/05/1989 Version End Date: -
21	539m S	Status: Historical Licence No: AN/029/0016/002 Details: Process Water Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: ANDERBY MAIN DRAIN Data Type: Point Name: Boskalis Subsea Limited Easting: 553869 Northing: 376060	Annual Volume (m ³): 7120 Max Daily Volume (m ³): 400 Original Application No: - Original Start Date: 30/05/2019 Expiry Date: 31/07/2019 Issue No: 1 Version Start Date: 30/05/2019 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m	6
-----------------------------	----------

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 87 >](#)

ID	Location	Details	
A	12m SE	Status: Active Licence No: 4/29/15/*G/0097 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BILSBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 548000 Northing: 376410	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: NPS/WR/023350 Original Start Date: 13/10/1982 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -



ID	Location	Details	
A	19m SE	Status: Historical Licence No: 4/29/15/*G/0097 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BILSBY PUMPING STATION Data Type: Point Name: ANGLIAN WATER SERVICES LTD Easting: 548000 Northing: 376400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/10/1982 Expiry Date: - Issue No: 100 Version Start Date: 01/08/1992 Version End Date: -
B	23m SE	Status: Active Licence No: 4/29/15/*G/0075 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: ALFORD PUMPING STATION BOREHOLE 2 Data Type: Point Name: Anglian Water Services Ltd Easting: 544070 Northing: 375080	Annual Volume (m ³): 400000 Max Daily Volume (m ³): 2000 Original Application No: NPS WR/023349 Original Start Date: 01/04/1966 Expiry Date: - Issue No: 106 Version Start Date: 25/05/2017 Version End Date: -
C	420m S	Status: Active Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 1 THURLBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 550280 Northing: 376020	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: NPS WR/023355 Original Start Date: 01/07/1977 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -
E	556m S	Status: Active Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 2 THURLBY PUMPING STATION Data Type: Point Name: Anglian Water Services Ltd Easting: 550170 Northing: 375900	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: NPS WR/023355 Original Start Date: 01/07/1977 Expiry Date: - Issue No: 104 Version Start Date: 14/09/2017 Version End Date: -
F	577m S	Status: Historical Licence No: 4/29/16/*G/0069 Details: Potable Water Supply - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BORE 2 THURLBY PUMPING STATION Data Type: Point Name: ANGLIAN WATER SERVICES LIMITED Easting: 550100 Northing: 375900	Annual Volume (m ³): 800000 Max Daily Volume (m ³): 3600 Original Application No: - Original Start Date: 01/07/1977 Expiry Date: - Issue No: 103 Version Start Date: 06/11/2014 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.



5.9 Source Protection Zones

Records within 500m	6
----------------------------	----------

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination. Features are displayed on the Abstractions and Source Protection Zones map on [page 87 >](#)

ID	Location	Type	Description
5	On site	2	Outer catchment
6	On site	2	Outer catchment
7	On site	3	Total catchment
A	On site	1	Inner catchment
B	On site	1	Inner catchment
9	14m S	1	Inner catchment

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	4
----------------------------	----------



Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

Features are displayed on the Abstractions and Source Protection Zones map on [page 87 >](#)

ID	Location	Type	Description
B	On site	2c	Outer catchment within confined aquifer
B	On site	1c	Inner catchment within confined aquifer
C	On site	2c	Outer catchment within confined aquifer
C	81m S	1c	Inner catchment within confined aquifer

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



6.1 Water Network (OS MasterMap)

Records within 250m

881

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on [page 100 >](#)

ID	Location	Type of water feature	Ground level	Permanence	Name
1	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
2	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
3	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
4	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
5	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain
6	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
7	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
8	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
9	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
10	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
11	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
12	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
13	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
14	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain



ID	Location	Type of water feature	Ground level	Permanence	Name
15	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
16	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
17	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
18	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
19	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
20	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
21	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain
22	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
23	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
24	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	South Fen Drain
25	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
26	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
27	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
28	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
29	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
30	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
31	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
32	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
33	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
34	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
35	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
36	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
37	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
38	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
39	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
40	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
41	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
42	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
43	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
44	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
45	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
46	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
47	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
48	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
49	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
50	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
51	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
52	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
53	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
54	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
55	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
56	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
57	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
58	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain
59	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
60	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
61	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
62	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
63	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
64	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
A	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
65	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
B	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
66	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
C	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
67	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
D	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
68	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
E	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
69	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
F	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
F	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
F	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
F	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
70	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
F	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
G	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
71	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
H	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
72	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
73	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
J	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Rundle
74	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
K	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Rundle
75	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
L	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
76	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
M	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
M	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
77	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
N	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
N	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
78	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
O	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
O	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
O	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
O	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
79	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
80	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
Q	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
81	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
82	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
S	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
83	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
T	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
84	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
U	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
U	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
85	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain
V	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
86	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
W	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
87	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
X	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
88	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
Y	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
89	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
Z	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
90	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
91	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
92	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
93	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
94	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
95	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
96	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
97	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AD	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AD	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CB	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CB	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
DC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
BF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AG	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ED	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
GB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ED	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HA	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HB	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HC	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BJ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BJ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
DH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GE	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GE	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
HD	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BK	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BK	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GF	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HE	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AM	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AM	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CK	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CK	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GG	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GG	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EI	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GH	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EJ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GH	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
AO	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GI	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AP	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BO	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AP	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
DM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GJ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GK	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DO	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GL	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GL	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GM	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GN	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GN	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CR	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BT	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
DR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GO	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GO	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ER	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GP	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
GP	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
FR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
ES	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
ET	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
DU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
FS	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GR	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
BX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BX	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
GS	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
FU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GT	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GT	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GT	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GU	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GU	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
DY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EX	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GV	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FW	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
DZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
EY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GW	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EZ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
FY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
EZ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
FY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
GX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GX	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GX	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GX	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GY	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GY	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
132	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
133	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EG	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
134	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
135	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
HA	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HJ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GE	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
136	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GH	1m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BT	1m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	1m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BN	1m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HK	1m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
HH	1m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HL	1m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
138	1m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	1m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CV	1m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BK	1m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
L	1m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HJ	2m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CQ	2m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
FV	2m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	2m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	2m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EJ	2m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
HC	2m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
139	2m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
U	3m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
141	3m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HM	3m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HN	3m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
GO	3m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CB	3m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HO	3m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain
HN	3m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HN	3m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HP	4m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HN	4m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
HQ	4m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
142	4m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
EJ	4m SW	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
HR	4m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HI	4m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GO	4m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HS	5m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	5m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FS	5m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HU	6m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
J	6m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Mill Rundle
HJ	6m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
143	6m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
CK	7m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AM	7m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HV	7m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HT	7m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HY	7m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	7m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	7m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
GO	8m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IA	8m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HX	8m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HX	8m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IC	8m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Rundle
HW	8m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
IB	9m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
145	9m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HJ	9m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
147	11m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HC	11m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
148	12m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
FS	12m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
150	13m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	14m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
151	15m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	16m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	16m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	16m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
152	16m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	16m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IF	17m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	19m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
N	21m SW	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	22m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IG	23m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IH	23m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
153	23m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CZ	24m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
II	25m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
II	25m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IJ	27m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
HJ	28m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HZ	29m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	29m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	29m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IK	31m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IL	33m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
154	33m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
156	34m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IM	35m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IN	35m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
157	35m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
CZ	40m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IO	41m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
IP	41m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IP	41m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	42m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
ES	49m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
159	49m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
160	49m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IQ	51m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
161	51m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CZ	52m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	54m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	54m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IR	55m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IM	57m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
IS	58m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
163	59m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BT	62m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BT	62m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BT	62m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IU	62m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IT	62m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IV	63m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IW	63m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	65m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
EL	65m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IX	65m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IM	68m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
ES	69m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IY	70m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IZ	70m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JA	70m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CZ	71m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
165	71m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
166	72m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JB	73m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JC	74m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
U	76m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
167	76m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JE	76m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
U	78m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
JF	80m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JG	81m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JH	81m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JI	84m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	84m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
CZ	86m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JD	86m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JD	86m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JJ	87m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	88m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JK	88m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ES	89m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
168	89m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
JL	89m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JM	90m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JN	90m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	92m E	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JO	93m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JP	94m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
170	94m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
171	94m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
173	95m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JQ	95m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
174	96m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JR	97m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JS	97m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
175	97m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JP	97m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JP	98m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JT	98m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JP	99m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JU	99m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JV	100m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JW	100m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
176	100m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AH	102m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JX	103m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JY	104m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JZ	106m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
177	107m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AH	109m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JY	109m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KA	110m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JM	111m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KA	112m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KA	112m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
178	112m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
IZ	113m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KB	115m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JG	117m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
179	117m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KB	119m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
KC	120m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
181	121m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JN	122m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KD	123m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KD	123m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KE	125m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JT	125m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IV	126m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KE	126m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KF	127m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
182	127m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KC	128m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
183	128m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Boy Grift Drain



ID	Location	Type of water feature	Ground level	Permanence	Name
KD	129m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KG	129m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KC	129m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JT	129m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KD	130m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IQ	131m E	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	Windmill Lake
KH	131m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KI	132m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	134m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KJ	134m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KK	134m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KL	135m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
184	138m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain



ID	Location	Type of water feature	Ground level	Permanence	Name
185	138m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AH	138m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JE	138m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KM	138m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KO	139m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KP	140m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KN	141m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	141m E	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
186	143m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Mill Rundle
KQ	143m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Rundle
KP	143m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AH	144m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KR	145m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
IY	147m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KS	149m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Windmill Lake
KT	149m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KT	149m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KT	149m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KT	149m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
188	150m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KU	151m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KT	151m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
HG	152m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IY	152m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
190	154m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KV	155m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
KX	158m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KW	158m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KT	160m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KT	160m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
191	160m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KT	161m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KI	163m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KI	163m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
HF	165m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
193	165m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
194	166m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KY	167m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
196	167m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
KZ	168m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LA	169m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KI	170m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KS	170m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JN	171m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
197	171m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IY	172m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	173m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
198	173m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
199	173m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Wold Grift Drain
LB	174m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LC	174m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LD	174m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
KP	174m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
JN	176m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IV	176m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LE	176m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	176m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IK	176m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LB	177m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KP	178m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LG	179m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IY	180m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	180m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
200	180m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LH	181m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LI	181m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KP	183m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KE	184m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KE	184m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LJ	184m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KP	184m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
201	184m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IE	185m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	185m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KI	186m SW	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
KS	187m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Windmill Lake
LF	188m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	188m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LK	188m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
202	188m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LF	189m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
203	190m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
KS	190m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Windmill Lake
LF	191m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IY	194m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
204	195m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LL	196m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LL	196m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
205	197m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AH	197m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LF	197m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LM	198m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IY	199m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LN	199m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IY	202m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
206	204m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ID	208m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JW	208m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LO	208m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LP	209m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JW	209m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
208	211m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LQ	213m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
JW	213m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LP	213m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LR	217m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LS	218m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	219m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LT	219m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LL	220m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LS	222m NW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IY	223m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
IE	223m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LK	224m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
209	225m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LV	225m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
210	226m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LW	226m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	227m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LF	228m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LX	228m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
211	229m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
212	229m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
213	230m W	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LY	230m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LF	230m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	230m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LZ	231m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	233m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LU	233m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
MA	233m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
IE	235m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LF	237m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
214	237m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
215	237m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	South Fen Drain
LY	237m S	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
216	237m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MB	238m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LY	239m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LY	239m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
217	239m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
LY	239m S	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MC	239m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
LY	239m S	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MD	240m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
ME	241m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
LY	243m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MF	243m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MG	244m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
218	247m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
MH	248m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
MI	250m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

167

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on [page 100 >](#)

This data is sourced from the Ordnance Survey.



6.3 WFD Surface water body catchments

Records on site	4
------------------------	----------

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 100](#) >

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
123	On site	River	Boygrift Drain	GB105029061720	Steeping and Eaus	Witham
124	On site	River	Anderby Main Drain	GB105029061730	Steeping and Eaus	Witham
125	On site	River	Woldgrift Drain	GB105029061750	Steeping and Eaus	Witham
126	On site	Coastal Catchment	Not part of a river WB catchment	297	Steeping and Eaus	Witham

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified	4
---------------------------	----------

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 100](#) >

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
127	On site	River	Boygrift Drain	GB105029061720 ↗	Moderate	Fail	Moderate	2019
128	On site	River	Anderby Main Drain	GB105029061730 ↗	Moderate	Fail	Moderate	2019
129	On site	River	Woldgrift Drain	GB105029061750 ↗	Moderate	Fail	Moderate	2019
130	On site	Coastal	Lincolnshire	GB640402492000 ↗	Moderate	Fail	Moderate	2019



This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.



Features are displayed on the Hydrology map on [page 100 >](#)

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
131	On site	South Lincolnshire Chalk Unit	GB40501G401600 ↗	Poor	Poor	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding



7.1 Risk of flooding from rivers and the sea

Records within 50m

180

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

Features are displayed on the River and coastal flooding map on [page 171 >](#)



Distance	Flood risk category
On site	High
0 - 50m	High

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m	1
---------------------	---

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

Features are displayed on the River and coastal flooding map on [page 171 >](#)

ID	Location	Event name	Date of flood	Flood source	Flood cause	Type of flood
130	On site	Lna_1953_01_Lincolnshire Coastline	1953-01-31 1953-02-01	Other	Overtopping of defences	Tidal

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m	7
---------------------	---

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

Features are displayed on the River and coastal flooding map on [page 171 >](#)

ID	Location	Update
131	On site	08/11/2022
132	On site	08/11/2022
133	On site	08/11/2022
134	On site	08/11/2022
135	On site	08/11/2022



ID	Location	Update
195	218m S	08/11/2022
201	247m N	08/11/2022

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m



0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones



7.6 Flood Zone 2

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

Features are displayed on the River and coastal flooding map on [page 171](#) >

Location	Type
On site	Zone 2 - (Fluvial /Tidal Models)

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.



Features are displayed on the River and coastal flooding map on [page 171](#) >

Location	Type
On site	Zone 3 - (Fluvial /Tidal Models)

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding



8.1 Surface water flooding

Highest risk on site

1 in 30 year, Greater than 1.0m

Highest risk within 50m

1 in 30 year, Greater than 1.0m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on [page 176 >](#)

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.


The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Greater than 1.0m
1 in 250 year	Greater than 1.0m
1 in 100 year	Greater than 1.0m
1 in 30 year	Greater than 1.0m

This data is sourced from Ambiental Risk Analytics.



9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site	Moderate
Highest risk within 50m	Moderate



Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 178](#) >

This data is sourced from Ambiantal Risk Analytics.



10 Environmental designations



10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

4

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

Features are displayed on the Environmental designations map on [page 179 >](#)

ID	Location	Name	Data source
3	381m N	Sea Bank Clay Pits SSSI	Natural England

ID	Location	Name	Data source
6	1102m N	Sea Bank Clay Pits SSSI	Natural England
10	1814m SE	Sea Bank Clay Pits SSSI	Natural England
11	1978m SE	Sea Bank Clay Pits SSSI	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m

0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m

2

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

Features are displayed on the Environmental designations map on [page 179 >](#)

ID	Location	Name	Species of interest	Habitat description	Data source
1	On site	Greater Wash	Red-throated diver; Black (common) scoter; Little gull; Sandwich tern; Common tern; Little tern	Marine areas, Sea inlets; Tidal rivers, Estuaries, Mud flats, Sand flats, Lagoons (including saltwork basins)	Natural England



ID	Location	Name	Species of interest	Habitat description	Data source
2	On site	Greater Wash	Red-throated diver; Black (common) scoter; Little gull; Sandwich tern; Common tern; Little tern	Marine areas, Sea inlets; Tidal rivers, Estuaries, Mud flats, Sand flats, Lagoons (including saltwork basins)	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m	0
-----------------------------	----------

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m	0
-----------------------------	----------

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m	5
-----------------------------	----------

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on [page 179 >](#)

ID	Location	Name	Woodland Type
4	919m NW	Rigsby Wood	Ancient Replanted Woodland
5	1037m NW	Rigsby Wood	Ancient & Semi-Natural Woodland
7	1111m NW	Rigsby Wood	Ancient Replanted Woodland
8	1642m NW	Hornby/mother Woods	Ancient Replanted Woodland



ID	Location	Name	Woodland Type
9	1735m NW	Hornby/mother Woods	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

0

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.



10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.



10.16 Nitrate Vulnerable Zones

Records within 2000m

11



Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	Woldgrift Drain NVZ	Surface Water	363	Existing
On site	Woldgrift Drain NVZ	Surface Water	363	Existing
On site	Woldgrift Drain NVZ	Surface Water	363	Existing
On site	Woldgrift Drain NVZ	Surface Water	363	Existing
On site	Lincolnshire Chalk	Groundwater	80	Existing
On site	Lincolnshire Chalk	Groundwater	80	Existing
On site	Lincolnshire Chalk	Groundwater	80	Existing
On site	Lincolnshire Chalk	Groundwater	80	Existing
1431m S	Willoughby High Drain NVZ	Surface Water	368	Existing
1781m S	Willoughby High Drain NVZ	Surface Water	368	Existing
1887m SW	Willoughby High Drain NVZ	Surface Water	368	Existing

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



10.17 SSSI Impact Risk Zones

Records on site

0

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m

4

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

Features are displayed on the SSSI Impact Zones and Units map on [page 185 >](#)

ID: 1
 Location: 381m N
 SSSI name: Sea Bank Clay Pits
 Unit name: Huttoft Bank Pit
 Broad habitat: Fen, Marsh And Swamp - Lowland
 Condition: Favourable
 Reportable features:

Feature name	Feature condition	Date of assessment
Eutrophic lakes	Favourable	01/10/2010
Lowland fens, including basin, flood-plain, open water transition and valley fens	Favourable	01/10/2010

ID: 2
 Location: 1102m N
 SSSI name: Sea Bank Clay Pits
 Unit name: Sand Ilands Pit
 Broad habitat: Fen, Marsh And Swamp - Lowland
 Condition: Favourable
 Reportable features:

Feature name	Feature condition	Date of assessment
Eutrophic lakes	Favourable	01/10/2010
Lowland fens, including basin, flood-plain, open water transition and valley fens	Favourable	01/10/2010

ID: 3
 Location: 1814m SE
 SSSI name: Sea Bank Clay Pits
 Unit name: Wolla Bank Reedbed
 Broad habitat: Fen, Marsh And Swamp - Lowland
 Condition: Unfavourable - Recovering



Reportable features:

Feature name	Feature condition	Date of assessment
Lowland fens, including basin, flood-plain, open water transition and valley fens	Unfavourable - Recovering	28/03/2011



ID: 4
 Location: 1978m SE
 SSSI name: Sea Bank Clay Pits
 Unit name: Wolla Bank Pit
 Broad habitat: Fen, Marsh And Swamp - Lowland
 Condition: Favourable
 Reportable features:

Feature name	Feature condition	Date of assessment
Eutrophic lakes	Favourable	01/10/2010
Invert. assemblage W2 mineral marsh & open water	Favourable	25/09/2009
Lowland fens, including basin, flood-plain, open water transition and valley fens	Favourable	01/10/2010

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations



11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

21

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on [page 188](#) >

ID	Location	Name	Grade	Reference Number	Listed date
1	On site	Stain Glebe Farm	II	1063007	30/06/1986
2	22m N	The Cottage	II	1063014	30/06/1986
3	57m SE	Windmill	II	1063005	30/06/1986
5	108m NW	Tothby Manor House	II	1063040	30/06/1986
A	111m S	Church Of The Holy Trinity	II*	1360007	03/02/1967
6	119m W	Barn At Thoresthorpe Manor House	II	1308602	30/06/1986



ID	Location	Name	Grade	Reference Number	Listed date
A	119m S	Bilsby War Memorial	II	1435370	06/06/2016
B	125m SE	Pigsties And Engine Shed At Alford Mill	II	1063030	30/06/1986
A	128m S	Cross Base In Churchyard On South Side Of Church	II	1147185	30/06/1986
B	132m SE	Windmill	I	1146936	20/05/1953
B	138m SE	Sail Store And Outbuildings At Alford Mill	II	1146943	30/06/1986
7	142m S	Bilsby House	II	1147167	01/02/1967
B	142m SE	Mill Offices	II	1063029	30/06/1986
8	147m W	Stable Block At Thoresthorpe Manor House	II	1063013	30/06/1986
C	160m S	The Forge	II	1063006	30/06/1986
9	168m W	Manor House	II	1308599	30/06/1986
10	178m SE	Welland House	II	1359979	20/05/1953
C	179m S	Old Forge Cottage	II	1147197	30/06/1986
11	204m SE	Vine House And Barn	II	1308641	30/06/1986
12	213m W	Moat Farm	II	1360008	03/02/1967
13	226m E	34, Station Road	II	1308686	30/06/1986

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m

1

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

Features are displayed on the Visual and cultural designations map on [page 188 >](#)

ID	Location	Name	District	Date of designation
4	87m SE	Alford	East Lindsey	06/1970

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



11.6 Scheduled Ancient Monuments

Records within 250m

1

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

Features are displayed on the Visual and cultural designations map on [page 188 >](#)

ID	Location	Ancient monument name	Reference number
A	123m S	Churchyard cross, Holy Trinity churchyard	1014425

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m



0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



12 Agricultural designations



12.1 Agricultural Land Classification

Records within 250m

5

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 192](#) >

ID	Location	Classification	Description
1	On site	Grade 2	Very good quality agricultural land. Land with minor limitations which affect crop yield, cultivations or harvesting. A wide range of agricultural and horticultural crops can usually be grown but on some land in the grade there may be reduced flexibility due to difficulties with the production of the more demanding crops such as winter harvested vegetables and arable root crops. The level of yield is generally high but may be lower or more variable than Grade 1.
2	On site	Grade 2	Very good quality agricultural land. Land with minor limitations which affect crop yield, cultivations or harvesting. A wide range of agricultural and horticultural crops can usually be grown but on some land in the grade there may be reduced flexibility due to difficulties with the production of the more demanding crops such as winter harvested vegetables and arable root crops. The level of yield is generally high but may be lower or more variable than Grade 1.
3	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.
4	67m SW	Grade 2	Very good quality agricultural land. Land with minor limitations which affect crop yield, cultivations or harvesting. A wide range of agricultural and horticultural crops can usually be grown but on some land in the grade there may be reduced flexibility due to difficulties with the production of the more demanding crops such as winter harvested vegetables and arable root crops. The level of yield is generally high but may be lower or more variable than Grade 1.
5	157m S	Grade 2	Very good quality agricultural land. Land with minor limitations which affect crop yield, cultivations or harvesting. A wide range of agricultural and horticultural crops can usually be grown but on some land in the grade there may be reduced flexibility due to difficulties with the production of the more demanding crops such as winter harvested vegetables and arable root crops. The level of yield is generally high but may be lower or more variable than Grade 1.

This data is sourced from Natural England.

12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.



12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

8

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

Location	Reference	Scheme	Start Date	End date
On site	AG00307158	Higher Level Stewardship	01/08/2010	31/07/2023
On site	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
On site	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
On site	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
On site	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
1m E	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
6m SE	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020
6m SE	AG00299408	Entry Level plus Higher Level Stewardship	01/07/2010	30/06/2020

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m

20

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

Location	Reference	Scheme	Start Date	End Date
On site	1031819	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025





Location	Reference	Scheme	Start Date	End Date
On site	1031819	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1031819	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1050288	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1586329	Woodland Management Plan	01/08/2023	31/07/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1486876	Countryside Stewardship (Higher Tier)	01/06/2023	31/05/2026
On site	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
163m W	1269104	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026

This data is sourced from Natural England.



13 Habitat designations



13.1 Priority Habitat Inventory

Records within 250m

51

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on [page 196 >](#)

ID	Location	Main Habitat	Other habitats
1	On site	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
2	On site	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
3	On site	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
4	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)



ID	Location	Main Habitat	Other habitats
5	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
6	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
7	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
8	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
9	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
10	On site	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
11	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
12	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
13	On site	Lowland calcareous grassland	Main habitat: LCGRA (INV > 50%)
14	On site	No main habitat but additional habitats present	Main habitat: RBEDS (INV > 50%)
15	On site	No main habitat but additional habitats present	Main habitat: RBEDS (INV > 50%)
16	On site	No main habitat but additional habitats present	Main habitat: RBEDS (INV > 50%)
17	On site	No main habitat but additional habitats present	Main habitat: RBEDS (INV > 50%)
18	On site	No main habitat but additional habitats present	Main habitat: RBEDS (INV > 50%)
A	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%); LCGRA (INV > 50%)
A	On site	Lowland calcareous grassland	Main habitat: LCGRA (INV > 50%)
A	On site	Lowland calcareous grassland	Main habitat: LCGRA (INV > 50%)
B	On site	Lowland calcareous grassland	Main habitat: LCGRA (INV > 50%)
B	On site	Lowland calcareous grassland	Main habitat: LCGRA (INV > 50%)
C	On site	Reedbeds	Main habitat: RBEDS (INV > 50%)
29	4m SW	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
30	37m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
31	44m SW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
32	57m SE	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
33	57m SW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
34	66m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
35	66m E	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
36	74m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)



ID	Location	Main Habitat	Other habitats
37	79m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%); CSDUN (INV > 50%)
38	79m W	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
39	88m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
40	90m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
41	91m S	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)
42	133m N	Coastal sand dunes	Main habitat: CSDUN (INV > 50%)
43	139m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
44	158m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
45	160m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%); CSDUN (INV > 50%)
46	160m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%); CSDUN (INV > 50%)
D	163m SE	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
D	163m SE	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
47	175m S	Traditional orchard	Main habitat: TORCH (INV > 50%)
48	184m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
D	184m SE	Traditional orchard	Main habitat: TORCH (INV > 50%)
49	185m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
50	198m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
51	217m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
52	239m SE	Coastal and floodplain grazing marsh	Main habitat: CFPGM (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

11

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

Features are displayed on the Habitat designations map on [page 196 >](#)

ID	Location	Type	Habitat
19	On site	Primary Habitat	Lowland calcareous grassland



ID	Location	Type	Habitat
20	On site	Primary Habitat	Lowland calcareous grassland
21	On site	Primary Habitat	Coastal sand dunes
22	On site	Network Enhancement Zone 1	Not specified
23	On site	Network Enhancement Zone 2	Not specified
24	On site	Network Enhancement Zone 2	Not specified
25	On site	Network Enhancement Zone 2	Not specified
26	On site	Network Enhancement Zone 2	Not specified
27	On site	Network Enhancement Zone 2	Not specified
28	On site	Restorable Habitat	Not specified
C	On site	Primary Habitat	Reedbeds

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m



0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on [page 200](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	No coverage	No coverage	No coverage	NoCov

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial

14.3 Superficial geology (10k)

Records within 500m

0

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock

14.5 Bedrock geology (10k)

Records within 500m

0

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m


0

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline

Search buffers in metres (m)

□ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on [page 204](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	EW104_mablethorpe_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



— Site Outline

Search buffers in metres (m)

▨ Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

17

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 206](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	TILLD-DMTN	TILL, DEVANSIAN	DIAMICTON
2	On site	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVANSIAN	SAND AND GRAVEL
3	On site	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVANSIAN	SAND AND GRAVEL



ID	Location	LEX Code	Description	Rock description
4	On site	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
5	On site	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
6	On site	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
7	On site	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
8	On site	BSA-S	BLOWN SAND	SAND
9	On site	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
10	On site	BTFU-XCZS	BEACH AND TIDAL FLAT DEPOSITS (UNDIFFERENTIATED)	CLAY, SILT AND SAND
11	On site	TFD-XCZ	TIDAL FLAT DEPOSITS	CLAY AND SILT
12	51m NE	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
13	73m S	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
14	130m N	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
15	219m S	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
16	417m SE	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
17	436m S	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m

15

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	High	Very Low
On site	Intergranular	High	Very Low
On site	Intergranular	High	High
On site	Intergranular	Low	Very Low
On site	Intergranular	Low	Very Low
On site	Intergranular	Low	Very Low



Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Mixed	High	Low
On site	Intergranular	Very High	High
On site	Intergranular	Very High	High
On site	Intergranular	Very High	High
On site	Intergranular	Moderate	Very Low
20m NE	Mixed	High	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

..... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

7

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 209](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	CA-SDST	CARSTONE FORMATION - SANDSTONE	ALBIAN
2	On site	FYCK-CHLK	FERRIBY CHALK FORMATION - CHALK	CENOMANIAN
3	On site	HUCK-CHLK	HUNSTANTON FORMATION - CHALK	ALBIAN
4	On site	FYCK-CHLK	FERRIBY CHALK FORMATION - CHALK	CENOMANIAN



ID	Location	LEX Code	Description	Rock age
5	On site	WCK-CHLK	WELTON CHALK FORMATION - CHALK	CENOMANIAN
6	On site	BCK-CHLK	BURNHAM CHALK FORMATION - CHALK	TURONIAN
7	172m SW	WCK-CHLK	WELTON CHALK FORMATION - CHALK	CENOMANIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m	6
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Very High	Very High
On site	Fracture	Very High	Very High
On site	Fracture	Very High	Very High
On site	Fracture	Very High	Very High
On site	Mixed	High	High
On site	Mixed	High	High

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)



Records within 500m	0
----------------------------	----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



16 Boreholes



16.1 BGS Boreholes

Records within 250m

57

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep. Features are displayed on the Boreholes map on [page 211](#) >

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	On site	550090 377420	BOYGRIFT DRAIN L.R.B. BH5	3.35	N	508235 ↗
2	On site	550340 377940	BOYGRIFT OCCUPATION BRIDGE L.R.B. BH1	14.32	N	508238 ↗
3	On site	550380 377880	BOYGRIFT OCCUPATION BRIDGE L.R.B. BH2	13.71	N	508239 ↗



ID	Location	Grid reference	Name	Length	Confidential	Web link
4	On site	554210 377550	MR NEEDHAMS FARM HUTTOFT	27.12	N	508250 ↗
5	On site	550180 376980	LOW BARN THURLBY NO.2 OBS	81.18	N	508282 ↗
6	On site	550330 377910	HUTTOFT LM 10	11.0	N	508313 ↗
7	On site	549038 377249	MALBY-MUMBY TRUNKMAIN 9	5.0	N	506317 ↗
8	On site	549298 376967	MALBY-MUMBY TRUNKMAIN 10	5.0	N	506318 ↗
9	On site	546191 377307	THORESTHORPE ALFORD LINCS 3	4.0	N	19592325 ↗
A	On site	547415 377415	BILSBY CREW YARD OBSERVATION BH	54.5	N	506301 ↗
A	On site	547420 377420	BILSBY (CREW YARD)	54.25	N	506351 ↗
B	On site	545610 377000	THORESTHORPE ROAD NORTH OF ALFORD	29.26	N	506254 ↗
B	On site	545600 376980	THORESTHORPE ROAD ALFORD	29.26	N	506328 ↗
C	On site	548250 377660	ASSERBY	64.37	N	506345 ↗
D	On site	546222 377463	THORESTHORPE ALFORD LINCS 1	3.0	N	19592322 ↗
D	On site	546221 377461	THORESTHORPE ALFORD LINCS 2	2.0	N	19592323 ↗
D	On site	546214 377462	THORESTHORPE ALFORD LINCS 2A	2.0	N	19592324 ↗
10	1m N	548672 376007	BH AT BOYGRIFT THURLBY BRIDGE	6.1	N	506228 ↗
C	2m W	548250 377640	ASSERBY	64.35	N	506295 ↗
E	9m S	547650 376280	OLD SCHOOL BILSBY	52.0	N	506349 ↗
11	13m SE	548871 376308	BH AT BOYGRIFT DRAIN	3.05	N	506223 ↗
E	14m S	547641 376278	BILSBY OLD SCHOOL	142.0	N	506298 ↗
F	16m N	549053 377716	MR JOHNSON'S ASSERBY	24.38	N	506274 ↗
F	22m N	549060 377720	ASSERBY	24.38	N	506358 ↗
12	23m SW	547390 376760	BILSBY	19.2	N	506352 ↗
G	34m SE	546350 376710	BILSBY COTTAGES BILSBY	21.34	N	506256 ↗
G	36m SE	546340 376700	BILSBY COTTAGE	21.34	N	506329 ↗
13	36m S	547384 376356	MR PELETHORPE BILSBY	19.2	N	506275 ↗
H	57m N	546030 377710	THORES THORPE	44.5	N	506294 ↗





ID	Location	Grid reference	Name	Length	Confidential	Web link
H	57m N	546030 377710	THORESTHORPE	44.5	N	506347 ↗
I	58m N	544510 376650	TOTHBY MANOR ALFORD	48.77	N	506447 ↗
I	66m N	544506 376658	TOTHBY MANOR NEAR ALFORD	48.77	N	506400 ↗
J	114m SE	547960 376220	THURLBY ROAD BILSBY	25.3	N	506357 ↗
J	128m SE	547980 376220	THURLBY ROAD BILSBY	25.3	N	506283 ↗
K	145m SE	545300 376260	PARK LANE ALFORD	46.63	N	506382 ↗
K	159m SE	545310 376250	PARK LANE ALFORD	46.63	N	506264 ↗
14	160m SE	547010 376500	DUNROAMIN BILSBY	24.38	N	506375 ↗
L	160m S	546980 376490	THE SMITHY BILSBY	20.42	N	506257 ↗
L	160m S	546980 376490	BILSBY	20.42	N	506330 ↗
15	165m E	548722 377652	MALBY-MUMBY TRUNKMAIN 8	5.0	N	506316 ↗
16	167m S	554910 376730	ST JUST ANDERBY CREEK LINCS	29.57	N	508262 ↗
M	185m W	545790 377540	THORESTHORPE	60.96	N	506261 ↗
N	187m E	544620 375600	ALFORD PUMPING STATION	100.89	N	506429 ↗
N	187m E	544620 375600	ALFORD	54.25	N	506452 ↗
M	194m W	545780 377540	THORESTHORPE MANOR	31.09	N	506332 ↗
O	200m SE	547070 376490	DUNROAMIN BILSBY	24.38	N	506285 ↗
17	200m W	552340 377770	MR LUTEYS FARM HUTTOFT	26.82	N	508247 ↗
N	203m SE	544630 375583	ALFORD PUMPING STATION NEW	100.89	N	506395 ↗
N	203m SE	544630 375583	ALFORD PUMPING STATION OLD	54.25	N	506396 ↗
O	210m SE	547060 376470	VINE DAIRY BILSBY	24.38	N	506284 ↗
O	219m SE	547060 376460	VINE DAIRY BILSBY	24.38	N	506374 ↗
P	226m SE	545680 376370	SALEBY LODGE ALFORD	24.38	N	506326 ↗
Q	229m W	545750 377560	THORESTHORPE	31.09	N	506260 ↗
18	233m S	553520 376280	MANOR HOUSE FARM ANDERBY	-1.0	N	508244 ↗
P	235m SE	545700 376370	MALTA HOUSE ALFORD OR SALEBY LODGE	24.38	N	506250 ↗
Q	235m W	545740 377550	THORESTHORPE MANOR	60.96	N	506331 ↗
19	245m N	554570 377820	MABLETHORPE SKEGNESS SEA DEFENCES PART 48 HUTTOFT BANK B	15.0	N	508298 ↗



This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

3

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 215 >](#)

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.
On site	Very low	Ground conditions predominantly low plasticity.
On site	Low	Ground conditions predominantly medium plasticity.



This data is sourced from the British Geological Survey.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 1 October 2025

Natural ground subsidence - Running sands



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.2 Running sands

Records within 50m

4

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on [page 217](#) >

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.




Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.
On site	Moderate	Running sand conditions are probably present. Constraints may apply to land uses involving excavation or the addition or removal of water.
20m NE	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

3

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 219](#) >

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.
On site	Moderate	Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.




Location	Hazard rating	Details
20m NE	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m

3

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 221](#) >

Location	Hazard rating	Details
On site	Negligible	Deposits with potential to collapse when loaded and saturated are believed not to be present.
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.
20m NE	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 1 October 2025

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on [page 223 >](#)

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 224 >](#)

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 1 October 2025

18 Mining and ground workings



18.1 BritPits

Records within 500m

1

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining and ground workings map on [page 226](#) >

ID	Location	Details	Description
B	97m NE	Name: Thoresthorpe Brick Pits Address: Thoresthorpe, ALFORD, Lincolnshire Commodity: Clay & Shale Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m	27
----------------------------	-----------

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on [page 226](#) >

ID	Location	Land Use	Year of mapping	Mapping scale
1	On site	Unspecified Heap	1969	1:10000
2	On site	Ponds	1969	1:10000
3	On site	Pond	1969	1:10000
4	On site	Pond	1887	1:10560
5	On site	Pond	1887	1:10560
6	On site	Pond	1887	1:10560
7	On site	Cuttings	1887	1:10560
A	On site	Pond	1969	1:10000
A	On site	Pond	1888	1:10560
A	On site	Pond	1886	1:10560
8	35m W	Pond	1887	1:10560
B	49m N	Brick Pits	1951	1:10560
B	50m N	Brick Pits	1946	1:10560
B	50m N	Brick Pits	1905	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
B	50m N	Water Body	1946	1:10560
B	50m N	Water Body	1905	1:10560
B	54m N	Brick Pits	1887	1:10560
B	54m N	Brick Pits	1887	1:10560
B	58m N	Lake	1973	1:10000
C	75m N	Unspecified Pit	1946	1:10560
C	75m N	Unspecified Pit	1905	1:10560
9	95m S	Pond	1887	1:10560
10	105m SE	Cuttings	1887	1:10560
D	119m NW	Pond	1979	1:10000
11	120m S	Ponds	1887	1:10560
D	123m NW	Pond	1887	1:10560
D	123m NW	Pond	1905	1:10560

This is data is sourced from Ordnance Survey/Groundsure.

18.3 Underground workings

Records within 1000m

5

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

Features are displayed on the Mining and ground workings map on [page 226](#) >

ID	Location	Land Use	Year of mapping	Mapping scale
AE	978m S	Tunnel	1969	1:10000
AE	994m S	Tunnel	1946	1:10560
AE	994m S	Tunnel	1905	1:10560
AE	994m S	Tunnel	1888	1:10560
AE	995m S	Tunnel	1951	1:10560

This is data is sourced from Ordnance Survey/Groundsure.



18.4 Underground mining extents

Records within 500m

0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.

18.7 JPB mining areas

Records on site

0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m

0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the



Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.

18.9 Researched mining

Records within 500m

0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m

0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.11 BGS mine plans

Records within 500m

0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site

0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.



18.13 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.14 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.

18.16 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Ground cavities and sinkholes

19.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m

0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m

0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.

Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.



This data is sourced from Groundsure.




Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Date: 1 October 2025

20 Radon



— Site Outline
 Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

© Crown copyright and database rights 2025. Ordnance Survey licence 100035207

20.1 Radon

Records on site

2

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 234 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Between 1% and 3%	None



Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None

This data is sourced from the British Geological Survey and UK Health Security Agency.



21 Soil chemistry

21.1 BGS Estimated Background Soil Chemistry

Records within 50m **220**

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
7m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
7m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
8m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
10m E	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
10m W	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
10m W	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
14m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
15m E	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
20m NE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
22m NW	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
22m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
24m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
29m E	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
30m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
30m E	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
34m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg



Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
37m NW	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
39m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
39m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
40m W	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
45m W	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
45m W	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
45m W	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
46m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
47m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
47m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.



21.3 BGS Measured Urban Soil Chemistry

Records within 50m



0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



22 Railway infrastructure and projects



22.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.



This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

22.4 Historical railway and tunnel features

Records within 250m

6

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on [page 250 >](#)

Location	Land Use	Year of mapping	Mapping scale
125m SE	Railway Sidings	1887	10560
211m SE	Railway Sidings	1887	10560
211m SE	Railway Sidings	1905	10560
211m SE	Railway Sidings	1953	10560
222m SE	Railway Sidings	1887	10560
225m SE	Railway Sidings	1971	2500

This data is sourced from Ordnance Survey/Groundsure.

22.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.



22.6 Historical railways

Records within 250m

6

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

Features are displayed on the Railway infrastructure and projects map on [page 250 >](#)

Location	Description
On site	Historical OSM
On site	Abandoned
On site	Abandoned
On site	Historical OSM
On site	Abandoned
On site	Abandoned

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

22.8 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

22.9 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b



(Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-and-conditions-april-2023/ ↗.



National Grid plc
National Grid House,
Warwick Technology Park,
Gallows Hill, Warwick.
CV34 6DA United

Registered in England and Wales
No. 4031152
nationalgrid.com