

national**grid**

Planting a Tree? Here Are a Few Tips to Help.

Choosing the right spot to plant a tree is just as important as choosing the tree itself. Because electric and gas utility lines may be underground, nearby or adjacent to your trees and plants, we can help you make the best choice. Unplanned or unmanaged vegetation can interfere with power lines—leading to power outages, safety hazards and increased maintenance costs.

For our customers who wish to enjoy the natural beauty and environmental benefits trees provide, our team can guide you in the early stages of planting to ensure the trees you choose and where you plant them are safely positioned. It's all part of our continuing commitment to deliver safe and reliable energy.

So, let's dig in together!




Planting the right tree in the right place helps your trees grow healthy and strong while keeping electric service safe and reliable. Use this guide to help you pick appropriate low-growing tree species and choose safe planting locations.

First, think about how tall the tree will grow. By selecting the right tree species, you'll avoid interference with overhead power lines. Secondly, by planting wisely, you won't obstruct any service cables that might be underground.

If plantings do take place around primary electric lines, we can perform some vegetation management. Our "directional pruning" trains and redirects growth without harming the trees. Vegetation near secondary lines or other utility lines (such as cable or phone) is not managed by National Grid. If you need vegetation maintenance, please contact a qualified tree contractor.

For advice on tree health and how to select the right species for your property, please consult your local arborist, nursery or landscape professional.



Correct planting instructions

1. Dig the hole

- Make 2-3 times wider than the root ball or pot, but no deeper than the ball's depth.
- A wider hole gives roots room to spread.

2. Place the tree in position

- Set the tree carefully in the center of the hole on firm soil.
- The trunk flare (where the trunk widens at the base) should be level with the ground or up to 2 inches higher to allow for settling.
- Carefully pull back soil from the base so the trunk flare and top roots are visible – they should not be buried.
- Remove excess soil from the top of the root ball so the root ball sits at the right height.

3. Remove wrapping and ties

- Straighten the tree and backfill the hole about 1/3 of the way.
- Cut away all rope, twine, and synthetic burlap from around the trees and roots – these can damage the tree if left in place.

- If the tree is in a wire basket, remove the top two-thirds of the basket.
- Remove plastic pots completely. Peat pots can be sliced down the sides.
- Loosen the outer roots from potted containers before planting.


4. Backfill and mulch

- Backfill the hole in layers, packing the soil gently and watering as you go to remove air pockets.
- Use extra soil to create a low berm (low earth wall) just outside the root ball to help retain water.
- Apply 2-4 inches of mulch over the planting area, keeping mulch 4-6 inches away from the trunk.

5. Support and care

- Stake the tree only if necessary, using 2-3 stakes with wide, soft, loose ties so the tree can sway slightly in the wind – this helps roots grow stronger.
- Water as needed, especially during the first growing season.
- Do not cut the main trunk; prune only dead or damaged branches.
- Do not apply tree paint.

Tree Planting Diagram



Before You Dig:

nationalgrid



For more information, please visit
ngrid.com/trees, or call us at:

Upstate NY: 1-800-664-6729

Massachusetts: 1-800-322-3223

UPSTATE NY



www.udigny.org

811 or 800-962-7962

At least two working days
prior to excavation.

MASSACHUSETTS



DigSafe.com

811 or 1-888-344-7233

72 hours prior to excavation
(except weekends and holidays)

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Trident Maple	<i>Acer buergerianum</i>	6a	20'-25'	round	variable fall color (yellow-red), low branched, requires pruning for street tree use; salt tolerant	
	'Street Wise'	6a	20'-25'	oval	can be trained to single stem; new growth reddish-purple at first; burgundy fall color	
Hedge Maple (CU-SS)	<i>Acer campestre</i>	5a	20'-35'	round	adapted to compaction and range of soil pH; will sustain severe pruning; can become invasive	⚠
	'Carnival'	5a	20'-35'		variegated foliage	
	'Elegant'	5a	20'-35'	upright	vigorous grower; compact form; ascending habit	
	'Elsrijk'	5a	20'-35'	narrow upright	narrow crown form; leaves mildew resistant	
	'Evenly Red'	5a	20'-35'		superior red fall color	
	'Field Maple'	5a	20'-35'		more uniform growth habit than species	
	'Jade Patina'	5a	20'-35'		dark green leaves; exceptional cold tolerance (not affected by stem frost crack)	
	'Louisa Red Shine'	5a	20'-35'		leaves emerge red then fade to reddish-green	
	'Metro Gold' (aka 'Panacek')	5a	20'-35'	narrow upright	superior gold fall color; tighter form than 'Queen Elizabeth'	
	'Nanum' (aka 'Compactum')	5a	20'-35'	upright	semi-dwarf, bulbous habit (often grafted on a standard trunk)	
	'Postelense'	5a	20'-35'		foliage emerges yellow then matures to green	
	'Pulverentum'	5a	20'-35'		variegated foliage	
	'Royal Ruby'	5a	20'-35'		new foliage purplish-red	
	'Schichtel's Upright'	5a	20'-35'	narrow oval	narrower upright crown form	
	'Schwerini'	5a	20'-35'		new purple foliage eventually turns green	
	'St. Gregory'	5a	20'-35'	pyramidal	strong central leader, smooth bark; new reddish-green foliage turns a rich, dark green	
	'William Caldwell'	5a	20'-35'	fastigate	fall foliage turns orange/red when planted in acidic soil (not yellow as species)	
Miyabe Maple (CU-SS)	<i>Acer miyabei</i>	5a	35-45'	upright oval-round	slow growing, dwarf Sugar Maple with tight conical canopy	
	'Rugged Ridge'	5a	35-45'	upright oval-round	more deeply furrowed bark than species; use where taller poles; not likely full height on streets	
	'State Street' (aka 'Morton')	4	35-45'	upright oval	good uniform branching, dark green foliage; gold-yellow fall color	
Sugar-Cone' Maple	<i>Acer saccharum</i> 'Sugar-Cone'	3b	<30'	pyramidal	slow growing, dwarf Sugar Maple with tight conical canopy	★
Amur Maple	<i>Acer tartaricum</i> ssp. <i>ginnala</i>	3a	15'-20'	rounded	often multi-stemmed, but can be trained/specified for single stem; variable fall color; cold hardy	⚠
	'Embers'	3a	15'-20'	rounded	bright red seeds, red fall color	
	'Emerald Fir'	3a	15'-20'	rounded	compact, slow growing; rounded crown	
	'Flame'	3a	15'-20'	rounded	red seeds, fiery red fall color	
	'Red Fruit'	3a	15'-20'	rounded	brilliant red seeds	
	'Red Rhapsody' (aka 'Mandy')	3a	15'-20'	rounded	lustrous dark green leaves; brilliant red fall color	

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas—check with local conservation authorities

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below (Continued)

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Amur Maple (cont.)	<i>'Rugged Charm'</i>	3a	20'-28'	upright oval	15' crown width; compact form; yellow-orange to red fall color; clusters of white flowers in Spring	⚠
	<i>'Beethoven'</i>	4	20'-25'	narrow columnar	10' crown width, central leader; red/yellow fall color	
	<i>'Mozazam' (aka 'Mozart')</i>	4	15'-20'	oval	15' crown width, central leader; red/yellow fall color; red samaras	
Serviceberry	<i>Amelanchier spp.</i>	3b	20'-30'	oval	edible fruit, early white flowers, red to yellow fall color; can be small tree to large multi-stem shrub	★
	<i>'Autumn Brilliance'</i>	3b	15'-25'	oval	heavy flowering, bright red-orange fall color; excellent heat/drought tolerance; resists leaf spot	
(possible A. lamarki selection)	<i>'Ballerina'</i>	3b	15'-25'	upright	spreading branches; pendulous flowers; bronze spring leaves turning dark, glossy green	
	<i>'Cole's Select'</i>	3b	15'	rounded	15' wide crown; glossier, smaller green leaves; orange-red to red fall color	
	<i>'Cumulus'</i>	3b	15'-25'	columnar-pyramidal	12-18' wide crown; faster growing; yellow to orange-scarlet fall color; may root sucker	
	<i>'Princess Diana'</i>	3b	25'	oval	bright red, long lasting fall color; may be single or multi-stemmed	
	<i>'Robin Hill'</i>	3b	20'	narrow	12-15' wide crown; heavy flowering, pink buds, early bloomer; bronze tinged leaves	
	<i>'Rubescens'</i>	3b			pink flowers in spring	
(possible A. canadensis cultivar)	<i>'Spring Flurry'</i>	3b	25-30'	upright oval	15' wide crown; strong central leader; green summer foliage; orange fall color	
	<i>'Reflection' (aka 'Refzam')</i>	3b	25'	upright oval	20' wide crown; vigorous growth and similar traits as the species	
(possible A. laevis cultivar)	<i>'Majestic'</i>	3b	25-30'	narrow oval	vigorous growth; new dark, reddish-orange foliage turning to dark green; heat resistant	
(possible A. canadensis cultivar)	<i>'Tradition' (aka 'Trazam')</i>	3b	25-30'	oval	good branching, strong center leader; heavy fruiting; grey-green foliage; good early bloom	
American Hornbeam	<i>Carpinus caroliniana</i>	3b	30'	rounded, spreading	"muscle" bark, good orange-red fall color; slow to establish; difficult to transplant; native	★
	<i>'Ball O' Fire' (aka 'J.N. Globe')</i>	3b	15'	rounded	15' wide crown; compact; superior fall color	
	<i>'Firespire' (aka 'J.N. Upright')</i>	3b	20'	upright, narrow	10' wide crown; tight, upright form; impressive orange-red fall color	
	<i>'Native Flame'</i>	3b		upright oval	notable bright red fall color	
	<i>'Palisade'</i>	3b	25'	narrow, upright oval	12' wide crown at maturity; dense, tidy growth habit	
Eastern Redbud (CU-SS)	<i>Cercis canadensis</i>	5b	20'-35'	open, spreading	edible, pink, very early spring flowers; typically multi-stemmed; heart shape leaves; native	★
	<i>'Ace of Hearts'</i>	5b		rounded	compact form, dense dome-shaped canopy; semi-glossy leaves; zig-zag stems	
	<i>'Alba'</i>	5b	20'	open, spreading	white flowers	
	<i>'Appalachian Red'</i>	5b		open, spreading	magenta pink buds, dark reddish-pink flowers	
	<i>'Flame'</i>	5b		open, spreading	double flowered	
	<i>'Forest Pansy'</i>	5b-6	20'	open, spreading	typically smaller, slower growth; cold sensitive; red-purple spring leaves, bronze summer foliage	
	<i>'Hearts of Gold'</i>	5b		open, spreading	new leaves emerge red then turn chartreuse then fade to green	
	<i>'Northern Strain'</i>	5a		open, spreading	more cold hardy; limited availability	

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas—check with local conservation authorities

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below (Continued)

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Eastern Redbud (Cont.) (CU-SS)	<i>'Rising Sun'</i>	5b		open, spreading	similar to 'Hearts of Gold', more colorful; new leaves red, fading to orange to yellow to green	★
	<i>'Royal White' (aka 'Royal')</i>	5b		spreading	white flowers, earlier blooming; more compact; larger flowers than 'Alba'	
	<i>'Ruby Falls'</i>	5b		weeping	purple foliage; weeping form	
	<i>'Silver Cloud'</i>	5b		spreading	irregular, splotchy variegated foliage;	
	<i>'Whiters Pink Charm'</i>	5b		open, spreading	brighter pink flowers than the species	
Cornelian-cherry Dogwood (CU-SS)	<i>Cornus mas</i>	5a	20'	round - oval	multi-stemmed; showy early small yellow flowers; heavy fruiting (litter may be a nuisance!)	
	<i>'Alba'</i>				white fruit	
	<i>'Aurea'</i>				gold to chartreuse maturing foliage	
	<i>'Flava'</i>				yellow fruit	
	<i>'Golden Glory'</i>		20'	oval	heavy bloomer, larger fruit; red-purple fall color; not as hardy as others forms	
	<i>'Variegata'</i>				white variegated foliage	
	<i>'Aureo-Elegantissima' (aka 'Tricolor')</i>				leaf edges bordered in yellow, green and pink	
	<i>'Fructu Volcano'</i>				purple fruits	
American Smoketree	<i>Cotinus obovatus</i>	5b	20'-30'	oval -round	low branching, multi-stemmed tree; 6-10" light, puffy, pyramidal spring flower; blue green foliage	
	<i>'Red Leaf'</i>				superior, reliable fall color	
	<i>'Grace'</i>	5b	20'	round	more tree-like form; maroon to purple foliage; (can be spec'd for multi or single stemmed tree)	
Thornless Cockspur Hawthorn (CU-SS)	<i>Crataegus crus-galli inermis</i>	4a	20'-25'	round	white flowers, bright red persistent fruit; thornless	
	<i>'Cuzam' (aka 'Crusader')</i>		15'	round	faster growing; 12-15' wide; reportedly disease resistant	
Washington Hawthorn (CU-SS)	<i>Crataegus phaenopyrum</i>	4b	20'-30'	round	white flowers; thorny; reddish-purple fall color; insect & disease prone; 'usually' multi-stem	⚠
	<i>'Fastigata'</i>		30'	columnar	columnar habit; 20' wide crown	
	<i>'Princeton Sentry'</i>		30'	columnar	similar to 'Fastigata' but nearly thornless	
	<i>'Vaughn'</i>		20'-30'	oval	hybrid cross with C. crus-galli; long lasting red fruit; prone to rust disease	
Winter King Hawthorn (CU-SS)	<i>Crataegus viridis 'Winter King'</i>	5a	20'-30'	oval	thorny, white flowers, purple and scarlet fall color, fruit persists; more disease resistant	
Imperial Thornless Honeylocust (CU-SS)	<i>Gleditsia triacanthos inermis 'Impcole'</i>	4b	30'	broad round	open, spreading form; good branch angles; small leaves; yellow fall color; only short variety	

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas—check with local conservation authorities

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below (Continued)

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Goldenraintree (CU-SS)	<i>Koelreuteria paniculata</i>	5b	30'-40'	irreg. rounded	pest free; pyramidal, mid-summer, yellow flower clusters; specify straight stem when ordering	
	'Rose Lantern'		30'-40'	irreg. rounded	pink fruits	
	'September'		30'-40'	irreg. rounded	later flowering	
	'Summerburst'		30'-40'	irreg. rounded	foliage more glossy; better crown symmetry & heat resistance than species	
Amur Maackia (CU-SS)	<i>Maackia amurensis</i>	4a	20-30'	rounded upright	4-6" long white pendulous flower clusters; grey-green leaves turn to olive green; pest free	
	'MaackNificent'		20-30'	vase like	vigorous, upright branching; silvery, pubescent foliage in spring	
	'Starburst'		20-30'	rounded upright	denser crown, more uniform & vigorous than species	
	'Summertime'		18-20'	rounded upright	smaller than the species 12-15' wide crown	
Flowering Crabapple (CU-SS)	<i>Malus spp.</i>	4b			various cultivars (some may be disease resistant):	
	'Adams'	4a	20'	round	buds deep pink, flowers deep pink, profuse; leaves green with a red tint; 5/8" persistent red fruit	
	'Adirondack'	4	18'	vase	carmine buds to white flowers; bright red fruit 1/2" diameter, dark green leathery leaves	
	'American Salute'	4	18'	upright oval	rose-red flower, cherry red 3/8" fruit; maroon-red foliage; 10' wide crown	
	'American Spirit'	4	15-18'	round	red buds, rose-red flower, persistent red fruit; 15-18' wide crown; superior disease resistance	
	'American Triumph'	4	20'	upright columnar	dark red single flower, dark burgundy-red fruit; reddish-purple leaves; 12' wide crown	
	<i>baccata</i> 'Jackii'	3a	20'	round	flowers are white fragrant and early, fruit is deep red-purple; glossy green foliage	
	'Cardinal'	4	16'	broad spread.	flowers bright pink-red purple, 1/2" sparse fruit deep dark red, leaves deep glossy purple-red	
	'Centurion'	4	20'	narrow oval	flowers rose red, bright red persistent 5/8" diameter fruit, leaves reddish changing to green	
	'Coralburst'	4	15'	round	coral pink buds, double rose flowers, bronze 1/2" diameter fruit; resistant to most diseases	
	'Donald Wyman'	4	20'	round	pink buds, flowers white, abundant, 3/8" fruit glossy bright red, abundant	
	'Doubloons'	4	18'	dense oval	carmine buds, flowers white, double fruit 3/8" bright lemon-yellow, abundant; deep green foliage	
	'Firebird'	4	8'	round spreading	red buds, flowers white, fruit 3/8" bright red & very persistent, abundant; dwarf of 'Sargent'	
	<i>floribunda</i>	4b	20'	round	flowers pink fading to white, profuse, 1-1 1/2" diameter, fruit yellow-red; disease resistance	
	'Golden Raindrops'	4	20'	vase like	white buds & flowers; 1/4" diameter yellow fruit; fine textured, deeply cut foliage	
	'Harvest Gold'	4	22'	wide vase like	white buds & flowers; 1/2" diameter yellow fruit; fair scab & fire blight resistance	
	'Liset'	4a	15'	columnar	flowers pink-red 1 1/2" diameter, fruit dark red, leaves reddish	
	'Madonna'	4	20'	upright	pink bud to double white flower; fruit golden red; leaves emerge bronze to green; disease resistance	

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas—check with local conservation authorities

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below (Continued)

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Flowering Crabapple (cont.) (CU-SS)	'Ormiston Roy'	4a	20'	oval - round	pink-rose bud, white flower, yellow 3/8" diameter persistent fruit, green leaf	
	'Pink Princess'	4	8'	low, spreading	rose pink flower, deep red 1/4" fruit; purple foliage becoming bronze-green; disease resistance	
	'Prairifire'	4	20'	oval - round	crimson bud, pink-red flower, orange-red persistent 1/2" fruit, leaves age to red-green	
	'Professor Sprenger'	4	20'	oval - round	pink bud, white fragrant flower, orange-red persistent 1/2" diameter fruit, green leaf	
	'Purple Prince'	4	20'	round	carmine bud, rose red flower, persistent maroon 3/8" fruit, purple-bronze leaf	
	'Red Jewel'	4	15'	oval	pink-white bud, white flower, persistent bright red 1/2" diameter fruit, green leaf	
	'Robinson'	4	25'	oval	crimson bud, deep pink flower, dark glossy red 3/8" fruit, red aging to bronze leaf	
	'Royal Raindrops'	4	20'	upright spread.	pink bud, bright pinkish flower; persistent red 1/4" fruit; purple cut-leaf, orange-red Fall color	
	'Sentinel'	4	18'	narrow oval	red buds, white-pink flower, persistent bright red 1/2" fruit, dark green glossy leaf	
	'Silverdrift'	4	20'	round	pink buds, white-pink flower, persistent orange 3/8" fruit, bright green glossy leaf	
	'Snowdrift'	4	18'	narrow oval	red buds, white flower, small persistent red fruit; good disease resistance	
	'Strawberry Parfait'	4	18'	vase	red buds, large pink flower, yellow 3/8" fruit, red aging to green leaf	
	'Sugartyme'	4	18'	oval	pink bud, white fragrant flower, red persistent 1/2" diameter fruit, green leaf	
	x zumi 'Calocarpa'	4a	20'	round	bright red, persistent 3/8" diameter, leaves large green, dense canopy	
Hop Hornbeam	<i>Ostrya virginiana</i>	3b	30-50'	oval	pest free; slow growing; yellow fall color; tolerates some shade; grayish-brown, exfoliating bark; use only where taller pole/wire sites; Northeast native	★
Persian Parrotia (CU-SS)	<i>Parrotia persica</i>	5	20'-30'	pyra.-round	relatively pest free; red-purple new foliage to green in summer, yellow-red in fall	
Accolade Flowering Cherry	<i>Prunus</i> 'Accolade' (<i>P. sargentii</i> x <i>P. subhirtella</i>)	5a	20'-25'	round-vase	deep rose-pink bud, semi-double pink flowers, attractive bark; more disease resistant	
Snow Goose Cherry	<i>Prunus</i> 'Snow Goose'	5	20'-25'	upright	white flowers, foliage green aging to yellow-red in fall; 1/4" blue-black fruit; good disease resistance	
Edgewood Callery Pear (CU-SS)	<i>P. calleryana</i> x <i>P. betulaefolia</i> 'Edgedell'	4	30'	round	leaves emerge with purple tint, silvery green through summer, red-purple in fall	⚠
Jack Callery Pear (CU-SS)	<i>Pyros calleryana</i> 'Jaczam'	4	15'-20'	oval; dense	glossy green to gold-red leaves in fall; 1/2" yellow-green fruit	
Jill Callery Pear (CU-SS)	<i>Pyrus calleryana</i> 'Jilzam'	4	15'-20'	round	olive green to gold leaves in fall; 1/2" yellow-green fruit	
Valiant Callery Pear (CU-SS)	<i>Pyrus calleryana</i> 'Valzam'	4	25'-30'	upright-pyram.	glossy hunter green to crimson red leaves in fall; 1/4" tan fruit	
Black Locust (CU-SS)	<i>Robinia pseudacacia</i> 'Globe'	4b	20'	round; dense	late spring flowering (possibly flowerless); spineless; medium to blue-green leaves	⚠
	'Bessoniana'	4b	30'	oval	late spring flowering; essentially spineless; medium to blue-green leaves; central leader	
	'Umbraculifera'	4b	20'	umbrella-like	dwarf form; few-no thorns, sparsely flowered; prone to borers & ice damages	
Swedish Mountain Ash (CU-SS)	<i>Sorbus intermedia</i>	5b-6a	25-35'	round	green upper leaf/grayish white undersides; orange-red fall color	⚠

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas-check with local conservation authorities

Recommended Small Trees For Planting Under Low Overhead Utility Lines or Confined Spaces

Urban Trees Recommended for USDA Planting Zones 6 and Below (Continued)

Common Name	Scientific Name	Zone	Mature Height *	Crown Shape	Comments	Status
Columnar Oakleaf Mountain Ash (CU-SS)	<i>Sorbus thuringiaca</i>	3b	25-35'	oval-pyram.	dark green upper leaf/whitish undersides; rusty orange-yellow fall color	⚠
	'Fastigiata'	3b	25-35'	narrow pyram.	more narrow pyramidal crown form	
Japanese Tree Lilac (CU-SS)	<i>Syringia reticulata</i>	3a	20'-25'	oval	large cream colored flowers in late June; good for use in large containers	⚠
	'Ivory Silk'	3a	25'	round	dense; compact; heavy flowering; fast growing; cherry-like bark	
	'Regent'	3a	20'-25'	upright	glossy leaves; heavy pure white flower producer	
	'Snowcap'	3a	15-20'	rounded	compact for; heavy creamy-white flowers	
	'Snowdance'	3a	25'+	upright	very dark, glossy leaves; blooms earlier than species; no seed head production	
	'Summer Snow'	3a	16'	round	glossy leaves; heavy flowering	
Summer Sprite Littleleaf Linden (CU-SS)	<i>Tilia cordata</i> 'Halka'	4	15'-20'	narrow pyram.	may grow slower than the species; fragrant, mid-summer flowers (attracts bees!)	⚠
Wireless Japanese Zelkova (CU-SS)	<i>Zelkova serrata</i> 'Schmidtlow'	5	35'	broad vase	exfoliating bark; less likely than species to have poor branch structure; Elm-like appearance	
	'City Sprite'	5	20'	upright	as above, smaller in form; red fall foliage	

★ This species is native to Northeastern North America and is considered beneficial

⚠ This species may be considered invasive in some areas—check with local conservation authorities

* Trees over 30' in mature height should be planted at least 25' away from the edge of overhead wires; trees that mature over 25' and planted directly underneath electric conductors may require minor pruning in the future to avoid wire conflicts to maintain required clearances

(CU-SS = Trees suitable for planting in Cornell University Structural Soil mix)

Tree list summarized from RECOMMENDED URBAN TREES: SITE ASSESSMENT AND TREE SELECTION FOR STRESS TOLERANCE; 2015 (revised)
Urban Horticulture Institute; Cornell University, 134-A Plant Science Bldg., Ithaca, NY 14853; urbanhort@cornell.edu

For more information and pictures of these trees, please go to the Cornell Woody Plant Database at: <http://woodyplants.cals.cornell.edu>



Before You Dig:

nationalgrid



For more information, please visit
ngrid.com/trees, or call us at:

Upstate NY: 1-800-664-6729
Massachusetts: 1-800-322-3223

UPSTATE NY



www.udigny.org
811 or 800-962-7962
At least two working days
prior to excavation.

MASSACHUSETTS



811 or 1-888-344-7233
72 hours prior to excavation
(except weekends and holidays)